

PCT

REC'D 18 JUL 2001

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT PCT

(PCT Article 36 and Rule 70)



Applicant's or agent's file reference PCT24285	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/IT00/00048	International filing date (day/month/year) 16/02/2000	Priority date (day/month/year) 22/02/1999
International Patent Classification (IPC) or national classification and IPC C12N15/00		
Applicant UNIVERSITA DEGLI STUDI DI ROMA "LA SAPIENZA"		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
2. This REPORT consists of a total of 6 sheets, including this cover sheet.
- ☐ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand  19/09/2000	Date of completion of this report  19.07.2001
Name and mailing address of the International preliminary examining authority:   European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer  BULCAO DE MELO .., T  Telephone No. +49 89 2399 8972  

Form PCT/IPEA/409 (cover sheet) (January 1994)

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/IT00/00048

**I. Basis of the report**

1. With regard to the elements of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

**Description, pages:**

1-37 as originally filed

**Claims, No.:**

1-23 as originally filed

**Drawings, sheets:**

1/5-5/5 as originally filed

**Sequence listing part of the description, pages:**

20-37, as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☒ contained in the international application in written form.
- ☒ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT**

International application No. PCT/IT00/00048

- ☐ the description,      pages:  
☐ the claims,          Nos.:  
☐ the drawings,        sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

*(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)*

6. Additional observations, if necessary:

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement**

**1. Statement**

Novelty (N)	Yes:	Claims	1-23
	No:	Claims	
Inventive step (IS)	Yes:	Claims	
	No:	Claims	1-23
Industrial applicability (IA)	Yes:	Claims	1-23
	No:	Claims	

- 2. Citations and explanations  
see separate sheet**

1. Reference is made to the following document:

**D1: Proc. Natl. Acad. Sci. USA, Vol. 94, pages 10233-10238, 1997**

2. The present International Preliminary Examination Report has been established with the assumption that the **priority date 22.02.99** is validly claimed. Therefore, documents EMBL Sequence Database Accession Numbers AJ133528 (10 May 1999) and Q9Y7G6 (1 November 1999) and Nature, Vol. 399, 13 May 1999, pages 166-169, have not been considered to be part of the prior art as defined in the regulations (**Rule 64 (1) and (3) PCT**).

## **SECTION V**

3. Novelty (**Article 33(2) PCT**)

The subject-matter of the present application does not appear to be disclosed in the prior art as defined in the regulations (**Rule 64 (1)-(3) PCT**).

Therefore, in view of such prior art the subject-matter of the present application (**claims 1-23**) has to be regarded as being new (**Article 33 (2) PCT**).

4. Inventive Step (**Article 33 (3) PCT**)

The present application does not satisfy the criterion set forth in **Article 33 (3) PCT** because the subject-matter of **claims 1-23** does not involve an inventive step (**Rule 65 (1) and (2) PCT**).

The **closest prior art** to evaluate the inventiveness of the present application is document **D1**. D1 discloses the isolation of *Neurospora crassa* mutants defective in "quelling" or transgene-induced gene silencing. The recessive quelling-defective (*qde*) mutants belong to three complementation groups corresponding to three distinct genes, *qde-1*, *qde-2* and *qde-3*, whose products are essential to the silencing machinery. (See Abstract; page 10236, right hand column-page 10237, left hand column, first paragraph; table 2 and Discussion).

Starting from **D1**, the underlying **technical problem** to be solved by the present application can be considered to lie in the cloning of the *qde* genes.

The **solution** provided by the Applicant to solve the above problem is the *qde-1* gene having sequence SEQ ID NO:1.

D1 suggests that the *qde* mutations may be used, and should provide the first tools, to isolate the genes encoding the first components involved in the quelling mechanism. D1 further strengthens that the cloning of the *qde* genes will be of extreme importance to resolving the puzzle of post-transcriptional gene silencing.

In view of the above, the person skilled in the art would be taught to clone the *qde* genes necessary for quelling.

Starting from a *qde* mutant strain, such as the *al-1 Neurospora crassa* transgenic strain which shows an albino (white) phenotype as a consequence of post-transcriptional silencing of the endogenous *al-1* gene (see D1, for example page 10235, left hand column), the person skilled in the art does not require any inventive skills in order to clone a *qde* gene. This is regarded as a current procedure which involves techniques well known in the art.

It should be noted that once the *qde-1* mutants are available, the mutagenesis approach used for their generation is of no relevance for the assessment of an inventive step for the isolation and cloning of said mutants. Moreover, although some methods may provide some advantages in terms of facility of cloning, this does not confer an inventive step to the cloned gene.

What is being claimed is the cloned gene and not a method of mutagenesis nor a method of cloning.

Furthermore, although molecular genetics is an inherently unpredictable art, involving delicate procedures and constantly presenting problems and difficulties, in the present application there is no indication showing that the inventors required inventive skills to overcome any problems or difficulties.

Therefore, the subject-matter of the present application does not involve an inventive step.

**INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT - SEPARATE SHEET**

---

International application No. PCT/IT00/00048

5. Industrial Applicability (Article 33(4) PCT)

The subject-matter of the present application (claims 1-23) is susceptible of industrial applicability as defined in **Article 33 (4) PCT**.

# PCT

## INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference <b>PCT24285</b>	<b>FOR FURTHER ACTION</b> see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. <b>PCT/IT 00/ 00048</b>	International filing date (day/month/year) <b>16/02/2000</b>	(Earliest) Priority Date (day/month/year) <b>22/02/1999</b>
Applicant  <b>UNIVERSITA DEGLI STUDI DI ROMA "LA SAPIENZA"</b>		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.

☒ It is also accompanied by a copy of each prior art document cited in this report.

### 1. Basis of the report

a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.

☐ the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :

☒ contained in the international application in written form.

☒ filed together with the international application in computer readable form.

☐ furnished subsequently to this Authority in written form.

☐ furnished subsequently to this Authority in computer readable form.

☐ the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐ the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,

☒ the text is approved as submitted by the applicant.

☐ the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.

☒ as suggested by the applicant.

☐ because the applicant failed to suggest a figure.

☐ because this figure better characterizes the invention.

1  
☐ None of the figures.

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC 7 C12N15/31 C12N15/63 C12N15/67 C12N15/70 C12N15/74  
 C12N15/80 C12N15/82 C12N15/85 C12N15/11 C12N9/12  
 C12N1/19 C12N1/21 C12N5/10 C07K14/37 A01K67/027

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

STRAND, EPO-Internal, WPI Data, PAJ, BIOSIS

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	COGONI ET AL.: "Isolation of quelling-defective (qde) mutants impaired in posttranscriptional transgene-induced gene silencing in Neurospora crassa" PROC NATL ACAD SCI USA, vol. 94, 16 September 1997 (1997-09-16), pages 10233-10238, XP002136370 ---	
A	COGONI C ET AL: "QUELLING: TRANSGENE-INDUCED GENE SILENCING IN NEUROSPORA CRASSA" NATO ADVANCED SCIENCE INSTITUTES, SERIE H: CELL BIOLOGY, DE, SPRINGER VERLAG, BERLIN, vol. 104, 1998, pages 103-112, XP000906708 ISSN: 1010-8793 --- -/--	

☒ Further documents are listed in the continuation of box C.

☐ Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

15 August 2000

Date of mailing of the international search report

07/09/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Authorized officer

Ceder, 0



## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>SHERMAN J M ET AL: "An uncertain silence"  TRENDS IN GENETICS,NL,ELSEVIER SCIENCE  PUBLISHERS B.V. AMSTERDAM, v  vol. 13, no. 8,  1 August 1997 (1997-08-01), pages 308-313,  XP004084604  ISSN: 0168-9525</p> <p style="text-align: center;">---</p>	
P,X	<p>COGONI : "Neurospora crassa qde-1 gene,  partial"  EMBL SEQUENCE DATABASE,  10 May 1999 (1999-05-10), XP002144857 ,  HEIDELBERG DE  Ac AJ133528  the whole document</p>	<p>1-6,  18-22</p>
P,X	<p>-&amp; COGONI ET AL.: "RNA-dependent RNA  polymerase (fragment"  EMBL SEQUENCE DATABASE,  1 November 1999 (1999-11-01), XP002144858  HEIDELBERG DE  Ac Q9Y7G6  the whole document</p>	<p>1-6,  18-22</p>
P,X	<p>-&amp; COGONI ET AL.: "Gene silencing in  Neurospora crassa requires a protein  homologous to RNA-dependent RNA  polymerase"  NATURE,  vol. 399, 13 May 1999 (1999-05-13), pages  166-169, XP002144912  the whole document</p> <p style="text-align: center;">-----</p>	<p>1-6,  18-22</p>

## REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

International Application No.

International Filing Date

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference  
(if desired) (12 characters maximum) PCT24285

**B x No. I TITLE OF INVENTION:** ISOLATION AND CHARACTERIZATION OF A *N. CRASSA* SILENCING GENE AND USES THEREOF.

**B x No. II APPLICANT**

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.  
The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA"

I. Aldo Moro 5  
00185 ROMA - ITALY

☐ This person is also inventor

Telephone No.  
06/4991.1

Facsimile No.

Teleprinter No.

State (that is, country) of nationality:  
ITALY

State (that is, country) of residence:  
ITALY

This person is applicant ☐ all designated States ☒ all designated States except the United States of America ☐ the United States of America only ☐ the States indicated in the Supplemental Box

**Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)**

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.  
The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

MACINO Giuseppe  
Dipartimento Biotecnologie Cellulari ed Ematologia  
POLICLINICO UMBERTO I  
UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA"  
Regina Elena 324  
00161 ROMA - ITALY

This person is:

☐ applicant only

☒ applicant and inventor

☐ inventor only (If this check-box is marked, do not fill in below.)

State (that is, country) of nationality:  
ITALY

State (that is, country) of residence:  
ITALY

This person is applicant ☐ all designated States ☐ all designated States except the United States of America ☒ the United States of America only ☐ the States indicated in the Supplemental Box

☒ Further applicants and/or (further) inventors are indicated on a continuation sheet.
**Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE**

The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: ☒ agent ☐ common representative

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)  
BANCHETTI Marina - CAPASSO Olga - de SIMONE Domenico - FIORUZZI Maria Augusta - IANNONE Carlo Luigi - TALIERCIO Antonio - ZANARDO Giovanni - ING. BARZANO' & ZANARDO ROMA S.p.A. - Via Piemonte 26 - 00187 ROMA - ITALY

Telephone No.  
06/4743241

Facsimile No.  
06/4870273

Teleprinter No.  
625579

☐ Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

## Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)

*If none of the following sub-boxes is used, this sheet should not be included in the request.*

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

COGONI Carlo  
Dipartimento Biotechnologie Cellulari ed Ematologia  
POLICLINICO UMBERTO I  
UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA"  
V.le Regina Elena 324  
00161 ROMA - ITALY

This person is:

- ☐ applicant only  
☒ applicant and inventor  
☐ inventor only (If this check-box is marked, do not fill in below.)

State (that is, country) of nationality:

ITALY

State (that is, country) of residence:

ITALY

This person is applicant  
for the purposes of:

☐

all designated  
States

☐

all designated States except  
the United States of America

☒

the United States  
of America only

☐

the States indicated in  
the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☐ inventor only (If this check-box is marked, do not fill in below.)

State (that is, country) of nationality:

State (that is, country) of residence:

This person is applicant  
for the purposes of:

☐

all designated  
States

☐

all designated States except  
the United States of America

☐

the United States  
of America only

☐

the States indicated in  
the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☐ inventor only (If this check-box is marked, do not fill in below.)

State (that is, country) of nationality:

State (that is, country) of residence:

This person is applicant  
for the purposes of:

☐

all designated  
States

☐

all designated States except  
the United States of America

☐

the United States  
of America only

☐

the States indicated in  
the Supplemental Box

Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)

This person is:

- ☐ applicant only  
☐ applicant and inventor  
☐ inventor only (If this check-box is marked, do not fill in below.)

State (that is, country) of nationality:

State (that is, country) of residence:

This person is applicant  
for the purposes of:

☐

all designated  
States

☐

all designated States except  
the United States of America

☐

the United States  
of America only

☐

the States indicated in  
the Supplemental Box

☐ Further applicants and/or (further) inventors are indicated on another continuation sheet.

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):

## Regional Patent

<input checked="" type="checkbox"/>	X	AP	ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland, UG Uganda, TZ Tanzania, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT	
<input checked="" type="checkbox"/>	X	EA	Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT	
<input checked="" type="checkbox"/>	X	EP	European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT	
<input checked="" type="checkbox"/>	X	OA	OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)	

## National Patent (if other kind of protection or treatment desired, specify on dotted line):

<input checked="" type="checkbox"/>	X	AE	United Arab Emirates	<input checked="" type="checkbox"/>	X	LR	Liberia
<input checked="" type="checkbox"/>	X	AL	Albania	<input checked="" type="checkbox"/>	X	LS	Lesotho
<input checked="" type="checkbox"/>	X	AM	Armenia	<input checked="" type="checkbox"/>	X	LT	Lithuania
<input checked="" type="checkbox"/>	X	AT	Austria	<input checked="" type="checkbox"/>	X	LU	Luxembourg
<input checked="" type="checkbox"/>	X	AU	Australia	<input checked="" type="checkbox"/>	X	LV	Latvia
<input checked="" type="checkbox"/>	X	AZ	Azerbaijan	<input checked="" type="checkbox"/>	X	MD	Republic of Moldova
<input checked="" type="checkbox"/>	X	BA	Bosnia and Herzegovina	<input checked="" type="checkbox"/>	X	MG	Madagascar
<input checked="" type="checkbox"/>	X	BB	Barbados	<input checked="" type="checkbox"/>	X	MK	The former Yugoslav Republic of Macedonia
<input checked="" type="checkbox"/>	X	BG	Bulgaria	<input checked="" type="checkbox"/>	X	MN	Mongolia
<input checked="" type="checkbox"/>	X	BR	Brazil	<input checked="" type="checkbox"/>	X	MW	Malawi
<input checked="" type="checkbox"/>	X	BY	Belarus	<input checked="" type="checkbox"/>	X	MX	Mexico
<input checked="" type="checkbox"/>	X	CA	Canada	<input checked="" type="checkbox"/>	X	NO	Norway
<input checked="" type="checkbox"/>	X	CH and LI	Switzerland and Liechtenstein	<input checked="" type="checkbox"/>	X	NZ	New Zealand
<input checked="" type="checkbox"/>	X	CN	China	<input checked="" type="checkbox"/>	X	PL	Poland
<input checked="" type="checkbox"/>	X	CU	Cuba	<input checked="" type="checkbox"/>	X	PT	Portugal
<input checked="" type="checkbox"/>	X	CZ	Czech Republic	<input checked="" type="checkbox"/>	X	RO	Romania
<input checked="" type="checkbox"/>	X	DE	Germany	<input checked="" type="checkbox"/>	X	RU	Russian Federation
<input checked="" type="checkbox"/>	X	DK	Denmark	<input checked="" type="checkbox"/>	X	SD	Sudan
<input checked="" type="checkbox"/>	X	DM	Dominica	<input checked="" type="checkbox"/>	X	SE	Sweden
<input checked="" type="checkbox"/>	X	EE	Estonia	<input checked="" type="checkbox"/>	X	SG	Singapore
<input checked="" type="checkbox"/>	X	ES	Spain	<input checked="" type="checkbox"/>	X	SI	Slovenia
<input checked="" type="checkbox"/>	X	FI	Finland	<input checked="" type="checkbox"/>	X	SK	Slovakia
<input checked="" type="checkbox"/>	X	GB	United Kingdom	<input checked="" type="checkbox"/>	X	SL	Sierra Leone
<input checked="" type="checkbox"/>	X	GD	Grenada	<input checked="" type="checkbox"/>	X	TJ	Tajikistan
<input checked="" type="checkbox"/>	X	GE	Georgia	<input checked="" type="checkbox"/>	X	TM	Turkmenistan
<input checked="" type="checkbox"/>	X	GH	Ghana	<input checked="" type="checkbox"/>	X	TR	Turkey
<input checked="" type="checkbox"/>	X	GM	Gambia	<input checked="" type="checkbox"/>	X	TT	Trinidad and Tobago
<input checked="" type="checkbox"/>	X	HR	Croatia	<input checked="" type="checkbox"/>	X	TZ	Tanzania
<input checked="" type="checkbox"/>	X	HU	Hungary	<input checked="" type="checkbox"/>	X	UA	Ukraine
<input checked="" type="checkbox"/>	X	ID	Indonesia	<input checked="" type="checkbox"/>	X	UG	Uganda
<input checked="" type="checkbox"/>	X	IL	Israel	<input checked="" type="checkbox"/>	X	US	United States of America
<input checked="" type="checkbox"/>	X	IN	India	<input checked="" type="checkbox"/>	X	UZ	Uzbekistan
<input checked="" type="checkbox"/>	X	IS	Iceland				
<input checked="" type="checkbox"/>	X	JP	Japan	<input checked="" type="checkbox"/>	X	VN	Viet Nam
<input checked="" type="checkbox"/>	X	KE	Kenya	<input checked="" type="checkbox"/>	X	YU	Yugoslavia
<input checked="" type="checkbox"/>	X	KG	Kyrgyzstan	<input checked="" type="checkbox"/>	X	ZA	South Africa
				<input checked="" type="checkbox"/>	X	ZW	Zimbabwe
<input checked="" type="checkbox"/>	X	KP	Democratic People's Republic of Korea	Check-boxes reserved for designating States (for the purposes of			
<input checked="" type="checkbox"/>	X	KR	Republic of Korea	a national patent) which have become party to the PCT after			
<input checked="" type="checkbox"/>	X	KZ	Kazakhstan	issuance of this sheet:			
<input checked="" type="checkbox"/>	X	LC	Saint Lucia				
<input checked="" type="checkbox"/>	X	LK	Sri Lanka				

**Precautionary Designation Statement:** In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

<b>Box No. VI PRIORITY CLAIM</b>		<input type="checkbox"/> Further priority claims are indicated in the Supplemental Box.		
Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country	regional application: * regional Office	international application: receiving Office
item (1) 22/02/99 22 FEBRUARY 1999	RM99A000117	ITALY		
item (2)				
item (3)				

☒ The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of the present international application is the receiving Office) identified above as item(s): (1)

\* Where the earlier application is an ARIPO application, it is mandatory to indicate in the Supplemental Box at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed (Rule 4.10(b)(iii)). See Supplemental Box.

**Box No. VII INTERNATIONAL SEARCHING AUTHORITY**

<b>Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):</b> ISA /	<b>Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):</b>  <div style="display: flex; justify-content: space-between;"> <span>Date (Day/month/year)</span> <span>Number</span> <span>Country (or regional Office)</span> </div>
---	---

**Box No. VIII CHECK LIST; LANGUAGE OF FILING**

This international application contains the following number of sheets:  request : 4  description (excluding sequence listing part) : 19  claims : 4  abstract : 1  drawings : 5  sequence listing part : 18 description :  <b>Total number of sheets : 51</b>	This international application is accompanied by the item(s) marked below:  1. <input checked="" type="checkbox"/> fee calculation sheet 2. <input checked="" type="checkbox"/> separate signed power of attorney 3. <input type="checkbox"/> copy of general power of attorney; reference number, if any: 4. <input type="checkbox"/> statement explaining lack of signature 5. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s): 6. <input type="checkbox"/> translation of international application into (language): 7. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material 8. <input checked="" type="checkbox"/> nucleotide and/or amino acid sequence listing in computer readable form 9. <input checked="" type="checkbox"/> other (specify): STATEMENT
---	---

<b>Figure of the drawings which should accompany the abstract:</b> 1	<b>Language of filing of the international application:</b> ENGLISH
--	---

**Box No. IX SIGNATURE OF APPLICANT OR AGENT**

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).

CAPASSO Olga

*For receiving Office use only*

1. Date of actual receipt of the purported international application 3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application: 4. Date of timely receipt of the required corrections under PCT Article 11(2): 5. If two or more are competent: ISA /	2. Drawings: <input type="checkbox"/> received:  <input type="checkbox"/> not received:  6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid.
---	--

*For International Bureau use only*

Date of receipt of the record copy by the International Bureau:	
---	--

**PCT****FEE CALCULATION SHEET****Annex to the Request**For receiving Office use only

International application No.

Date stamp of the receiving Office

Applicant's or agent's  
file reference PCT24285

Applicant UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA"

**CALCULATION OF PRESCRIBED FEES**

## 1. TRANSMITTAL FEE

60.000

T

## 2. SEARCH FEE

1.829.775

S

International search to be carried out by \_\_\_\_\_  
 (If two or more International Searching Authorities are competent in relation to the international application, indicate the name of the Authority which is chosen to carry out the international search.)

**INTERNATIONAL FEE****Basic Fee**

The international application contains 51 sheets.

first 30 sheets

791.934

b1

21 x 17.426 =

365.946

b2

remaining sheets additional amount

Add amounts entered at b1 and b2 and enter total at B

1.157.880

B

**Designation Fees**

The international application contains \_\_\_\_\_ designations.

x \_\_\_\_\_ =

1.363.136

D

number of designation fees amount of designation fee  
 payable (maximum 10)

Add amounts entered at B and D and enter total at I

2.521.016

I

(Applicants from certain States are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and D.)

## 4. FEE FOR PRIORITY DOCUMENT (if applicable)

P

## 5. TOTAL FEES PAYABLE

4.410.791

Add amounts entered at T, S, I and P, and enter total in the TOTAL box

TOTAL

☐ The designation fees are not paid at this time.
**MODE OF PAYMENT**
☐ authorization to charge  
 deposit account (see below)
☒ bank draft☐ coupons☐ cheque☐ cash☐ other (specify):☐ postal money order☐ revenue stamps**DEPOSIT ACCOUNT AUTHORIZATION** (this mode of payment may not be available at all receiving Offices)The RO/ \_\_\_\_\_ ☐ is hereby authorized to charge the total fees indicated above to my deposit account.
☐ is hereby authorized to charge any deficiency or credit any overpayment in the total fees indicated above to my deposit account.

☐ is hereby authorized to charge the fees for preparation and transmittal of the priority document to the International Bureau of WIPO to my deposit account.

Deposit Account No.

Date (day/month/year)

Signature

To:

CAPASSO, Olga  
BARZANO & ZANARDO ROMA S.P.A.  
26, Via Piemonte  
00187 ROMA  
ITALIE

FAX 06/4870273

PCT

NOTIFICATION OF TRANSMITTAL OF  
THE INTERNATIONAL PRELIMINARY  
EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing  
(day/month/year) 19.07.2001

Applicant's or agent's file reference  
PCT24285

**IMPORTANT NOTIFICATION**

International application No.  
PCT/IT00/00048

International filing date (day/month/year)  
16/02/2000

Priority date (day/month/year)  
22/02/1999

Applicant  
UNIVERSITA DEGLI STUDI DI ROMA "LA SAPIENZA"

1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

**4. REMINDER**

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

 European Patent Office  
D-80298 Munich  
Tel. +49 89 2399 - 0 Tx: 523656 epmu d  
Fax: +49 89 2399 - 4465

Authorized officer

Emslander, S

Tel.+49 89 2399-8718



## PCT

## NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner  
 US Department of Commerce  
 United States Patent and Trademark  
 Office, PCT  
 2011 South Clark Place Room  
 CP2/5C24  
 Arlington, VA 22202  
 ETATS-UNIS D'AMERIQUE  
 in its capacity as elected Office

Date of mailing (day/month/year)

02 November 2000 (02.11.00)

International application No.

PCT/IT00/00048

Applicant's or agent's file reference

PCT24285

International filing date (day/month/year)

16 February 2000 (16.02.00)

Priority date (day/month/year)

22 February 1999 (22.02.99)

Applicant

MACINO, Giuseppe et al

1. The designated Office is hereby notified of its election made:



in the demand filed with the International Preliminary Examining Authority on:

19 September 2000 (19.09.00)



in a notice effecting later election filed with the International Bureau on:

2. The election ☒ was

was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO  
 34, chemin des Colombettes  
 1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Zakaria EL KHODARY

Telephone No.: (41-22) 338.83.38



PCT

NOTIFICATION CONCERNING  
SUBMISSION OR TRANSMITTAL  
OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

From the INTERNATIONAL BUREAU

To:

BANCHETTI, Marina  
Ing. Barzanò & Zanardo Roma S.p.A.  
Via Piemonte, 26  
I-00187 Roma  
ITALIE

Date of mailing (day/month/year) 08 June 2000 (08.06.00)	
Applicant's or agent's file reference PCT24285	IMPORTANT NOTIFICATION
International application No. PCT/IT00/00048	International filing date (day/month/year) 16 February 2000 (16.02.00)
International publication date (day/month/year) Not yet published	Priority date (day/month/year) 22 February 1999 (22.02.99)
Applicant UNIVERSITÀ DEGLI STUDI DI ROMA "LA SAPIENZA" et al	

1. The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
3. An asterisk(\*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

<u>Priority date</u>	<u>Priority application No.</u>	<u>Country or regional Office or PCT receiving Office</u>	<u>Date of receipt of priority document</u>
22 Febr 1999 (22.02.99)	RM99A000117	IT	07 June 2000 (07.06.00)

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Facsimile No. (41-22) 740.14.35

Authorized officer

Zakaria EL KHODARY

Telephone No. (41-22) 338.83.38

003341012

PCT

To:

CAPASSO, Olga  
BARZANO & ZANARDO ROMA S.P.A.  
26, Via Piemonte  
00187 ROMA  
ITALIE

NOTIFICATION OF RECEIPT  
OF DEMAND BY COMPETENT INTERNATIONAL  
PRELIMINARY EXAMINING AUTHORITY

(PCT Rules 59.3(e) and 61.1(b), first sentence  
and Administrative Instructions, Section 601(a))

Date of mailing  
(day/month/year)

09.10.00

Applicant's or agent's file reference  
PCT24285

IMPORTANT NOTIFICATION

International application No.

PCT/IT 00/00048

International filing date (day/month/year)

16/02/2000

Priority date (day/month/year)

22/02/1999

Applicant

UNIVERSITA DEGLI STUDI DI ROMA "LA SAPIENZA"

1. The applicant is hereby notified that this International Preliminary Examining Authority considers the following date as the date of receipt of the demand for international preliminary examination of the international application:

19/09/2000

2. This date of receipt is:

- ☒ the actual date of receipt of the demand by this Authority (Rule 61.1(b)).  
☐ the actual date of receipt of the demand on behalf of this Authority (Rule 59.3(e)).  
☐ the date on which this Authority has, in response to the invitation to correct defects in the demand (Form PCT/IPEA/404), received the required corrections.

3. ☐ **ATTENTION:** That date of receipt is **AFTER** the expiration of 19 months from the priority date. Consequently, the election(s) made in the demand does (do) not have the effect of postponing the entry into the national phase until 30 months from the priority date (or later in some Offices) (Article 39(1)). Therefore, the acts for entry into the national phase must be performed within 20 months from the priority date (or later in some Offices) (Article 22). For details, see the *PCT Applicant's Guide*, Volume II.

- ☐ (If applicable) This notification confirms the information given by telephone, facsimile transmission or in person on:

4. Only where paragraph 3 applies, a copy of this notification has been sent to the International Bureau.

Name and mailing address of the IPEA/




European Patent Office  
D-80298 Munich  
Tel. (+49-89) 2399-0, Tx: 523656 epmu d  
Fax: (+49-89) 2399-4465

Authorized officer

KAUFMANN S B

Tel. (+49-89) 2399-2615



From the INTERNATIONAL BUREAU

**PCT****NOTICE INFORMING THE APPLICANT OF THE  
COMMUNICATION OF THE INTERNATIONAL  
APPLICATION TO THE DESIGNATED OFFICES**

(PCT Rule 47.1(c), first sentence)

T :

BANCHETTI, Marina  
Ing. Barzanò & Zanardo Roma S.p.A.  
Via Piemonte, 26  
I-00187 Roma  
ITALIE

Date of mailing (day/month/year)

31 August 2000 (31.08.00)

Applicant's or agent's file reference

PCT24285

**IMPORTANT NOTICE**

International application No.

PCT/IT00/00048

International filing date (day/month/year)

16 February 2000 (16.02.00)

Priority date (day/month/year)

22 February 1999 (22.02.99)

Applicant

UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA" et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice:

AU,KP,KR,US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE,AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,CA,CH,CN,CU,CZ,DE,DK,DM,EA,EE,EP,ES,FI,GB,GD,GE,  
GH,GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MD,MG,MK,MN,MW,MX,NO,NZ,  
OA,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,UA,UG,UZ,VN,YU,ZA,ZW

The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on

31 August 2000 (31.08.00) under No. WO 00/50581

**REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)**

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

**REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))**

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland

Facsimile No. (41-22) 740.14.35

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

From the INTERNATIONAL SEARCHING AUTHORITY

**PCT**

NOTIFICATION OF TRANSMITTAL OF  
THE INTERNATIONAL SEARCH REPORT  
OR THE DECLARATION

(PCT Rule 44.1)

To:

BARZANO & ZANARDO ROMA S.P.A.  
Attn. BANCHETTI, Marina  
26, Via Piemonte  
00187 ROMA  
ITALY

Date of mailing  
(day/month/year)

07/09/2000

Applicant's or agent's file reference

PCT24285

**FOR FURTHER ACTION**

See paragraphs 1 and 4 below

International application No.

PCT/IT 00/00048

International filing date  
(day/month/year)

16/02/2000

Applicant

UNIVERSITA DEGLI STUDI DI ROMA "LA SAPIENZA"

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

**Filing of amendments and statement under Article 19:**

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

**When?** The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

**Where?** Directly to the International Bureau of WIPO  
34, chemin des Colombettes  
1211 Geneva 20, Switzerland  
Facsimile No.: (41-22) 740.14.35

**For more detailed instructions, see the notes on the accompanying sheet.**

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ **With regard to the protest** against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after **18 months** from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within **19 months** from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within **20 months** from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority



European Patent Office, P.B. 5818 Patentlaan 2  
NL-2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Chantal Meyer

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:  
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:  
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:  
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or  
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:  
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

**"Statement under article 19(1)" (Rule 46.4)**

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

**Consequence if a demand for international preliminary examination has already been filed**

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

**Consequence with regard to translation of the international application for entry into the national phase**

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

## INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

### What parts of the International application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

### When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

### Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

### How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

### What documents must/may accompany the amendments?

#### Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)


<b>(51) International Patent Classification <sup>7</sup> :</b>  <b>C12N 15/00</b>	<b>A2</b>	<b>(11) International Publication Number:</b> <b>WO 00/50581</b>  <b>(43) International Publication Date:</b> 31 August 2000 (31.08.00)
<b>(21) International Application Number:</b> PCT/IT00/00048  <b>(22) International Filing Date:</b> 16 February 2000 (16.02.00)  <b>(30) Priority Data:</b> RM99A000117      22 February 1999 (22.02.99)      IT  <b>(71) Applicant (for all designated States except US):</b> UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA" [IT/IT]; P.le Aldo Moro, 5, I-00185 Roma (IT).  <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> MACINO, Giuseppe [IT/IT]; Policlinico Umberto I, Università Degli Studi Di Roma "La Sapienza", Dipartimento Biotecnologie Cellulari ed Ematologia, V.le Regina Elena, 324, I-00161 Roma (IT). COGONI, Carlo [IT/IT]; Policlinico Umberto I, Università Degli Studi Di Roma "La Sapienza", Dipartimento Biotecnologie Cellulari ed Ematologia, V.le Regina Elena, 324, I-00161 Roma (IT).  <b>(74) Agents:</b> BANCHETTI, Marina et al.; Ing. Barzanò & Zanardo Roma S.p.A., Via Piemonte, 26, I-00187 Roma (IT).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>
<b>(54) Title:</b> ISOLATION AND CHARACTERIZATION OF A <i>N. CRASSA</i> SILENCING GENE AND USES THEREOF  <b>(57) Abstract</b>  A nucleotide sequence encoding for a protein characterized in that it has a silencing activity and comprises a RNA-dependent RNA polymerase domain is disclosed; furthermore expression vectors suitable for the expression of said sequence in bacteria, plants, animals and fungi are disclosed; the invention refers also to organisms transformed by such vectors.		

6XW WT 107

al-1



al-2



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						



ISOLATION AND CHARACTERIZATION OF A *N. CRASSA* SILENCING GENE  
AND USES THEREOF

5           The present invention relates to the isolation and characterization of a *Neurospora crassa* gene encoding for an essential activity in the co-suppression process and to uses and applications thereof in vegetal, animal and fungine fields.

10           The production of transgenic organisms is of large utility both in basic and applied biological research. The transgenic DNA is usually integrated in the genome and transferred as a Mendelian character. However, in various instances, the transgene introduction induces  
15           gene silencing phenomena (Flavell, R.B. 1994), i.e. the repression of the expression of the transgene itself and/or of one or more endogenous homologous genes.

          The gene silencing can act at two levels: transcriptional (trans-inactivation) where transgenes  
20           contain sequences homologous to the silenced gene promoter (Vaucheret, 1993); and post-transcriptional (co-suppression) which requires homologies between coding regions (Flavell, 1994; Stam et al., 1997; Baulcombe, 1996).

25           Generally the silencing induced by a transgene requires an almost complete sequence homology (from 70% to 100%) between transgene and silenced gene sequences (Elkind, 1990).

          In the *Neurospora crassa* filamentous fungus, during  
30           the vegetative phase, the presence of transgenes induces a post-transcriptional gene silencing phenomenon, named "quelling" (Cogoni et al., 1996).

By using the *al-1* gene (albino 1) (Schmidhauser et al., 1990) as silencing visual marker, many features of the phenomenon have been discovered (Cogoni et al., 1996). Particularly the *al-1* gene "quelling" in *Neurospora* is characterized in that: 1) the gene silencing is reversible further to the loss of transgene copies; 2) the reduction of mRNA basal level results from a post-transcriptional effect; 3) transgenes containing at least a region of 132 base pairs which is identical to the region encoding for the target gene are sufficient to induce the "quelling"; 4) the duplication of promoter sequences is ineffective to induce the silencing; 5) the "quelling" exhibits a dominant behavior in heterocarions containing both transgenic and untransformed nuclei, indicating the involvement of a molecule which acts "in trans" among the nuclei; 6) the expression of an aberrant RNA transcribed by the transgenic locus is strictly correlated to silencing, suggesting that the "quelling" can be induced and/or mediated by a transgenic RNA molecule.

Therefore homologies between *Neurospora* silencing and plant co-suppression can be pointed out. The gene silencing in *Neurospora* is reversible, as result of transgenic copies instability during mitotic phase; in plants also the co-suppression reversion is associated with the reduction of transgene copy number, resulting from intra-chromosomal recombination during mitosis or meiosis (Mittelstein Scheid et al., 1994; Stam et al., 1997). Thus both in plants and in *Neurospora* the transgene presence is required to maintain the silencing. As in *Neurospora*, a decrease of the mRNA basal level of the silenced gene results from a post-transcriptional

mechanism (Dehio and Schell 1994; van Blokand et al., 1994; de Carvalho et al., 1995). Furthermore to induce the "quelling", transgenes must contain a portion of the silencing target gene coding sequence, being the promoter region ineffective. In plants coding regions with no promoter sequences can induce silencing (van Blokand et al., 1994) and, as in the "quelling", promoters or functionally active gene products are not required for the co-suppression.

One of the similarities between "quelling" and co-suppression in plants is that both mechanisms are mediated by diffusion factors. In *Neurospora* eterokaryotic strains, nuclei wherein the *albino-1* gene is silenced are able to induce the *al-1* gene silencing of the other not transformed nuclei, all sharing the same cytoplasmic environment (Cogoni et al., 1996). In plants the presence of a diffusion factor results from the fact that the co-suppression is effective in inhibiting the replication of Tobacco Etch Virus (TEV), a RNA virus with an exclusively cytoplasmic cycle. The occurrence of highly diffusible factors, which are effective to mediate the co-suppression, has been demonstrated using the grafting technique in tobacco (Palaqui et al., 1997), showing that silenced tobacco plants are able to transfer the silencing to non-silenced plants through grafting.

The fact that "quelling" and co-suppression share all these features suggests that mechanisms involved in post-transcriptional gene silencing in plants and in fungi can be evolved by an ancestral common mechanism.

Recently gene inactivation phenomena resulting from transgene introduction have been disclosed in animals. In *Drosophila melanogaster* the location of a transgene close

to heterochromatic centers results in a variegate expression (Wallrath and Elgin, 1995; Pirrotta, V., 1997). Similar expression profiles have been observed when the reference transgene is within tandem arrayed transposons, indicating that tandem repeats are effective to induce the chromatin condensation. (Dorer and Henikoff, 1994). Again in *Drosophila* Pal-Bhadra et al. (1997) have observed that the transgene introduction can lead to gene inactivation phenomena, similar to the co-suppression.

Gene silencing phenomena resulting from transgene sequence repeats have been disclosed recently in mammals.

Garrick et al. (1998) produced mouse transgenic lines wherein 100 transgenic copies are present only in a locus and are directly tandem arrayed. The transgene expression has been disclosed to be inversely proportional to the number of occurring copies, indicating that silencing phenomena dependent on repeat copies are present also in mammals.

Therefore the identification of *Neurospora* genes which are involved in the silencing is the first step to modulate the same process in plants, animals and fungi. The silencing modulation is of great relevance when transgenic organisms able to express the desired phenotype are produced.

The authors of the present invention have already isolated *Neurospora crassa* strains having mutations regarding essential functions for gene silencing mechanism (Cogoni and Macino, 1997); 15 independent isolated mutants define three complementation groups, thus identifying the *qde-1*, *qde-2* and *qde-3* genes (*qde*

stands for "quelling"-deficient), whose products are essential to the silencing machinery. *qde* genes are essential to the *Neurospora* silencing, as suggested by the fact that silencing of three independent genes (*al-1*, *al-2* and *qa-2*) is impaired by *qde* mutations (Cogoni and Macino, 1997).

The authors of the invention have identified and cloned now one out of *Neurospora qde* genes, the *qde-1* gene, thus identifying one of required factors for silencing. By considering the similarity between "quelling" and co-suppression, genes orthologous to the isolated gene are involved in co-suppression and more generally in gene silencing in other organisms, like plants, fungi and animals.

The present invention can be applied with reference to two general scope: 1) silencing potentiation as a tool for inactivating more effectively and durably a desired gene, and 2) silencing suppression to obtain a better expression of the introduced transgenes.

As to the silencing potentiation, the over-expression of one or more genes controlling the phenomenon can lead to higher efficiency and/or stability thereof. Therefore the introduction of *qde-1* gene or of homologous genes thereof in microorganisms can constitute a tool to repress more effectively gene functions. Particularly this approach is specially useful in plants wherein the co-suppression is usually used for the "knock-out" of gene functions. In plants again the gene silencing potentiation can be used to obtain lines resistant to pathogen virus, by introducing transgenes encoding for viral sequences, in order to achieve the

expression inhibition of the virus itself (Flavell et al., 1994).

Analogous applications are suitable for animals, wherein some indications suggest that silencing can inhibit the suitable expression of introduced transgenes (Garrick et al., 1998).

On the contrary, there are instances wherein it is desirable not to have or to reduce the gene silencing, i.e. where a transgene is to be over-expressed. It is known that the co-suppression is strictly correlated both with the presence of an high copy number of the transgene, and with a transgene high expression. This correlation can hamper the production of transgenic organisms which express a transgene at high levels, because more high is the expression and/or the copy number, more probable is to evoke silencing responses. As above mentioned, analogous mechanisms of gene inactivation, dependent on a high copy number, have been disclosed in animals. In these circumstances plant or animal lines, totally or partially ineffective for silencing, constitute an ideal recipient wherein the desired gene can be over-expressed. The invention can be applied within this scope using different approaches:

A) Identification and production of mutant lines in genes homologous to *qde-1* gene, in plants, animals and fungi.

The knowledge of *Neurospora qde-1* gene, essential for silencing mechanism, can allow the isolation of mutant lines in other organisms, mutated in genes homologous to *qde-1*. For example by means of amplifications using degenerated primers, designed from the most conserved regions of *qde-1* gene, mutant lines in

homologous genes can be identified, by analysis of insertion mutant gene banks, already available for many plant species. Both in fungi and animals such mutants can be obtained, following the identification of the homologous gene, by means of "gene disruption" techniques using homologous recombination.

B) Reduction of *qde-1* gene expression

Other strategies for the production of silencing-deficient lines comprise the use of *Neurospora qde-1* gene or homologous genes thereof. *qde-1* or homologous genes can be introduced into suitable expression vectors to express them in an anti-sense orientation in order to inhibit the expression of resident endogenous genes. Alternatively portions of *qde-1* or of homologous genes can be over-expressed, in order to obtain a negative dominant effect and thus blocking the function of *qde-1* endogenous genes.

The authors of the present invention have cloned and characterised the *Neurospora crassa qde-1* gene. The sequence analysis of the *qde-1* gene detected a region having a significant homology with a RNA-dependent RNA polymerase, isolated from tomato, which was suggested, but not demonstrated, to be involved in the co-suppression mechanism (Schiebel et al., 1998).

The authors of the invention for the first time have demonstrated that a gene encoding for a RNA-dependent RNA polymerase is involved in gene silencing induced by transgenes. Therefore for the first time it is disclosed that a gene belonging to the RNA-dependent RNA polymerase family is an essential component also for inactivation mechanism of the repeat sequences.

Within the scope of the invention the reference to homology per cent means similarity per cent, i.e. number of identical residues + number of conserved residues with respect to the total residues of the considered sequence.

5 Therefore it is an object of the present invention a nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA dependent RNA polymerase domain, wherein the domain is at least 30% homologous with the amino acid sequence from  
10 aa. 710 to aa. 1282 of SEQ ID No. 1. Preferably the domain is at least 40% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1. More preferably the domain is at least 50% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID  
15 No. 1. Most preferably the domain comprises the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1. According to a particular embodiment the nucleotide sequence encodes for a protein having the amino acid sequence of SEQ ID No. 1 or functional portions thereof.  
20 Even more preferably the nucleotide sequence is the nucleotide sequence of SEQ ID No. 1 or its complementary sequence.

A further object of the invention is an expression vector comprising, under the control of a promoter which  
25 is expressed in bacteria, the nucleotide sequence of the invention. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in bacteria can be used and it is within the scope of the invention.

30 A further object of the invention is an expression vector comprising, under the control of a promoter which is expressed in plants or in specific plant organs, the



nucleotide sequence of the invention, both in a sense and anti-sense orientation. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in plants or in specific plant organs can be used and it is within the scope of the invention.

A further object of the invention is an expression vector comprising, under the control of a promoter which is expressed in fungi, the nucleotide sequence of the invention, both in a sense and anti-sense orientation. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the inventive protein in fungi can be used and it is within the scope of the invention.

A further object of the invention is an expression vector comprising, under the control of a promoter which is expressed in animals, the nucleotide sequence of the invention, both in a sense and anti-sense orientation. Those skilled in the art will appreciate that any plasmid suitable for a correct and effective expression of the protein of the invention in animals can be used and it is within the scope of the invention.

A further object of the invention is a prokaryotic organism transformed by using the expression vector active in bacteria of the invention.

A further object of the invention is a plant or a specific plant organ transformed by using the expression vector active in plants of the invention.

A further object of the invention is a plant mutated at the nucleotide sequence of the invention having a reduced or inhibited silencing activity.

A further object of the invention is a fungus transformed with the expression vector of the invention active in fungi.

A further object of the invention is a fungus  
5 mutated at the nucleotide sequence of the invention and having reduced or inhibited silencing activity.

A further object of the invention is a non-human animal transformed with the expression vector of the invention active in animals.

10 A further object of the invention is a non-human animal mutated at the nucleotide sequence of the invention and having a reduced or inhibited silencing activity.

15 A further object of the invention is a not human animal mutated at the nucleotide sequence of the invention and having reduced or inhibited silencing activity.

20 A further object of the invention refers to a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polimerase domain, wherein the domain is at least 30% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1. Preferably the domain is at least 40% homologous with the amino acid sequence from aa. 710 to aa. 1282 of  
25 SEQ ID No. 1. More preferably the domain is at least 50% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1. Most preferably the domain comprises the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1. According to a particular  
30 embodiment the nucleotide sequence encodes for a protein having the amino acid sequence of SEQ ID No. 1 or functional portions thereof.

It is within the scope of the present invention the use of the nucleotide sequence of the invention to modulate gene silencing in plants, animals and fungi.

The present invention now will be disclosed by way of non limiting examples with reference to the following figures:

Figure 1 shows the restoration of the *al-1* expression in 107 insertional mutant strain. The total RNA has been extracted from mycetes collected after light induction over ten minutes from an *al-1* silenced strain (6XW), a untransformed wild type strain (WT) and 107 mutant strain. For the hybridization an *al-1* specific probe was used. In the lower part the restoration using an *al-1* specific probe is showed.

Figure 2 shows the genomic organization of the *qde-1* gene. a) The two cosmides (56G11 and 40H7) able to complement the *qde-1* mutants are represented. The white box in the 40H7 cosmid represents the sequences of the cosmid vector. A restriction map of 7,9 Kb *qde-1* containing fragment obtained from 40H7 using *EcoRI* is showed: E(*EcoRI*), P(*PstI*), B(*BgIII*). The black box represents the ORF identified within *EcoRI* 7,9 Kb fragment. The pDX and pSX plasmids containing the DNA fragments subcloned in the *XbaI* (X) and *EcoRI* (E) sites are also showed. B) Southern analysis of the 107 and WT strains. The genomic DNA was digested using *BgII* and *NaeI*. In the lower diagram the DNA probe used for the hybridization and the expected *BgII/NaeI*(B/N) restriction fragments are reported. The triangle represents the integration site in the 107 strain which determines the disappearance of the 1,0 Kb restriction fragment.

Figure 3 represents the expression of the *qde-1* gene in the 107 insertional mutant strain, untransformed wild type (WT) strain and *al-1* silenced strain (6XW). The total RNA was hybridized using a *qde-1* specific probe. In the lower part the amount of gel loaded RNA is showed.

Figure 4 represents the amino acid sequence deduced from the *qde-1* gene. The underlining indicates the RdRP conserved domain as showed in the alignment of Figure 5.

Figure 5 represents a sequence alignment of the QDE-1 protein with other polypeptides from SwissProtein sequence database: ORF from Z488334 (*eleg1*) *C. elegans*, ORF from Z98533 (*pom*) *S. pombe*, ORF from AF080120 (*araB*) *A. thaliana* and RNA-dependent RNA polymerase from Y104403 (RdRP) tomato. Identical residues are pointed out in black, whereas the conservative replacements are showed in gray.

#### Materials and Methods

##### Strains, growing and transforming conditions

The methodology and heterokaryon analysis in *Neurospora crassa* substantially was the same as described in (Davis and De Sevres, 1970). The spheroplasts are prepared according to method of Vollmer and Yasnofsky (1997). The 107 strain was isolated in the following way: a *qde-1* silenced strain, called 6xw, already described (Cogoni and Macino, 1997), was transformed with pMXY2 which contains the benomyl resistant beta-tubulin gene, which acts as dominant selectable marker in *N. Crassa* (Staben et al. 1989). Transformed strains able to grow in the presence of benilate containing medium were selected on the base of the carotenoid biosynthesis by visualization of the conidium colors: the conidia from the wild type strains were bright orange, whereas those

from transformed strains having colors from white to yellow were indicative of a silencing activity.

#### Plasmids and gene libraries

The genomic gene *qde-1* was isolated from a *N. Crassa* gene library in cosmides (Cabibbo et al., 1991). The sub-cloning of the restriction fragments from the gene library clones was carried out in the pBSK plasmid. Therefore the sub-clones were used in co-transforming experiments using pMXY2 or pES200 (containing the hygromycin resistant gene).

#### Southern and Northern Hybridizations

Chromosomal DNA was prepared according to Morelli et al. (1993). After digestion, the genomic DNA was transferred according to Maniatis et al. (1982). The probes were labeled by casual priming (Boheringer). The RNA was electrophoresed on agarose gel, transferred and blotted on Hybond N membranes.

#### DNA Analysis and Sequencing

The *qde-1* nucleotide sequence was determined for both strands using TAQ FS polymerase and the fluorescence method and analyzed using an Applied Biosystems 373A automated apparatus; the nucleotide and amino acid derived sequences were analyzed by means of MacMolly Tetra program. A protein comparison was carried out using the BLASTP method. The ClustaIW algorithm was used for the alignment.

#### Results

In order to clone the *qde* genes an insertional mutagenesis on an *al-1* transgenic strain (6XW) which shows an albino phenotype (white) resulting from a post-transcriptional silencing of the *al-1* endogenous gene was used: out of 100.000 independent transformed insertional

strains, a strain (107) showed a reversion of the gene silencing visible as restoration of a bright orange wild type phenotype. The bright orange wild type phenotype of the 107 strain results from the restoration of the expression of *al-1* mRNA, as demonstrated by a Northern analysis (see Figure 1). Furthermore an heterokaryon assay revealed the mutation to be recessive and trans acting. In addition by means of the heterokaryon assay it was possible to establish that the 107 strain mutant belongs to one of the three already identified complementation *qde* groups (Cogoni and Macino 1997). The restoration of an *al-1* silenced phenotype occurs in heterokaryons with *qde-2* and *qde-3* mutants. It is not possible to complement with *qde-1* mutants (Table 1), indicating that the 107 strain is mutated at the *qde-1* gene.

Table 1 - The 107 strain is mutated at the *qde-1* gene  
*qde* mutant strains used in specific heterokaryons

	107	M17	M18	M10	M11	M7	M20
107	WT	AL	AL	AL	AL	WT	WT
M17		WT	WT	AL	AL	AL	AL
M18			WT	AL	AL	AL	AL
M10				WT	WT	AL	AL
M11					WT	AL	AL
M7						WT	WT
M20							WT

WT = heterocaryon with a wild type phenotype for carotenoid (bright orange);

AL = heterocaryon with an albino phenotype wherein the *al-1* gene silencing is restored.

The *qde* mutant strains were described by Copgoni and Macino (1997); M17 and M18 are *qde-3* mutants; M10 and

M11 are *qde-2* mutants; M7 and M20 are *qde-1* mutants. The heterokaryon phenotypes were examined by visual inspection after a seven day growth in the presence of light.

5           In order to isolate the *qde-1* gene, the "tagging" plasmid was recovered from the 107 strain by means of a procedure suitable for the liberation of the plasmid using the *BglIII* restriction enzyme having a single restriction site within the tagging plasmid. The pCR4  
10   plasmid was recovered after chromosomal DNA re-ligation following a *BglIII* restriction (see figure 2a). The chromosomal DNA flanking the insertion site was isolated using the *BglIII* and *PstI* enzymes and the resultant restriction fragment was used to probe a *N. crassa*  
15   genomic library in cosmids. Cosmids 58G11 and 40H7, both positively hybridizing, were introduced by means of an UV induced transforming experiment in the 107 strain and in the M7 *qde-1* mutant strain. Both the cosmids were able to complement the two assayed *qde-1* mutants. The  
20   restoration of the *al-1* gene silencing which determines the appearance of a white phenotype indicates that both the cosmids contain a functional *qde-1* gene. By using the same flanking DNA like a probe, two *EcoRI* fragments from 40H7 and 58G11, respectively having 7,9 and 10,0 kB, were  
25   identified and subcloned (see figure 2a). Both the *EcoRI* fragments (p79E and p10E plasmids) are able to complement the *qde-1* strain (107 and M7) but not the *qde-2* (M10) and *qde-3* (M17) mutant strains (Table 2), indicating that the *qde-1* functional gene is contained in the 7,9 Kp *EcoRI*  
30   fragment.

Table 2 Complementation with the *qde-1* gene

Plasmids	qde mutant strains used			
	107	M7( <i>qde-1</i> <sup>-</sup> )	M10( <i>qde-2</i> <sup>-</sup> )	M17( <i>qde-3</i> <sup>-</sup> )
P79E	58/200 (29%)	48/200 (24%)	0/200 (0%)	0/200 (0%)
5 P10E	51/100 (25%)	25/100 (25%)	0/200 (0%)	0/200 (0%)
PSX	0/200 (0%)	0/200 (0%)	-	-
PDX	0/200 (0%)	0/200 (0%)	0/200 (0%)	0/200 (0%)

10 The complementation frequency is reported as per cent of the transforming strains which show an albino phenotype with respect to the total number of transforming strains. The pMXY2 plasmid was used as negative control.

15 The ability of the *qde-1* gene in restoring the *al-1* gene silencing only in corresponding mutants, excludes the possibility that the DNA cloned fragment is able to restore the *al-1* gene silencing, apart from the *qde* complementation group. In addition the M7 strain transformed with the 7,9 Kb EcoRI fragment allows the ability in silencing an other *al-2* carotenogenic gene  
20 when introduced by transformation (not showed data). The 7,9 Kb EcoRI fragment was further cloned using the XbaI site (see figure 2a) which cuts the center the EcoRI fragment. Both the XbaI/EcoRI (pSX and pDX plasmids) fragments were not able to complement the 107 and M7  
25 strains (see Table 2), suggesting that the XbaI site is probably localised within the *qde-1* gene.

The whole region of the EcoRI fragment which includes the putative *qde-1* gene and the adjacent regions were sequenced, revealing an open reading frame (ORF) of  
30 4206 bp which encodes for a putative protein containing 1402 amino acids. Two different results suggest that this ORF corresponds to the *qde-1* gene. Firstly the XbaI



restriction site used to subclone the 7,9 Kb EcoRI fragment is localized in the center of the ORF (figure 2a) and therefore is consistent with the result that both the KbaI/EcoRI fragments are not able to complement the *qde-1* mutation (Table 2). Secondly by means of Southern analysis (see Figure 2b) the insertion site of the tagging plasmid in the 107 strain was mapped to be within the BglII and NaeI restriction sites in the ORF. No size variation of the flanking regions was detected, therefore excluding the possibility that the deletions include other ORFs within the 7,9 Kb EcoRI region. The cDNAs synthesized by inverted PCR (RT-PCR) revealed a co-linearity with the genomic DNA indicating that no intron is present. The expression of the *qde-1* gene was analyzed by Northern analysis using a probe including the *qde-1* ORF (figure 2a). Thus a transcript of about 5000 nt was detected and further it was found out that the *qde-1* mRNA basal level in an *al-1* silenced strain (6XW) was twice than in a not transformed WT strain (see figure 3). In addition the *qde-1* whole length mRNA is not detectable in the *qde-1* 107 insertional mutant strain where, on the contrary, a smaller band is included suggesting that the *qde-1* truncated transcripts are produced as the integration result. The fact that the *qde-1* gene expression is specifically increased in a silenced strain suggests the existence of a regulatory mechanism able to activate cell components of the silencing machinery in the transgenic strains.

The QDE-1 protein deduced from the nucleotide sequence contains 1402 amino acids (see figure 4), the molecular weight and statistical pI thereof being 158.004 Da and 8.0, respectively. The QDE-1 protein does not

contain a signal peptide or a transmembrane domain indicating that it is probably an intracellular protein. Furthermore the idiopathic plot suggests that QDE-1 is a soluble protein. A BLAST study showed that *qde-1* has an  
5      homology statistically significant with hypothetical proteins from various other organisms comprising: two ORFs from *C. elegans* (Z4834 and Z78419 EMBL entry numbers) with expected values (E value) of  $2e-16$  and  $9e-10$ , respectively, one ORF from *S. pombe* (Z98553 EMBL  
10      entry number) with an  $3e-13$  E value; four ORFs from *A. thaliana* (AF080120 and AC005169 EMBL entry numbers, the latter comprising three ORFs at the same chromosomal localization,) and  $8e-15$ ,  $7e-06$ ,  $4e-05$ ,  $5e-02$  E values, respectively. Finally a significant homology ( $2e-17$  E  
15      value) with a putative protein coded by tomato cDNA (Y10403 EMBL entry number) was discovered. The discovered homology does not extend over the whole protein but it is limited to a portion containing 570 amino acids, from aa. 710 to aa. 1282, which defines a conserved domain (see  
20      figure 5). Among the identified putative homologous proteins only that derived from the sequence of tomato cDNA was functionally characterized as a RNA-dependent RNA polymerase (RdRP, 9).

#### Bibliography

- 25      Baulcombe, D.C. (1996) Plant Mol. Biol. 32, 79-88.  
Cogoni, C. et al. (1996) EMBO J. 15, 3153-3163  
Cogoni, C. and Macino, G. (1997) Proc. Natl. Acad. Sci. U.S.A. 94: 10223-10238.  
Cabibbo, A. et al. (1991) Fungal Genetic Newsl., 38: 68-  
30      70.  
Davis, R.H. and De Serres, F.J. (1970) Methods Enzymol. 17: 79-143.

- de Carvalho Niebel, F. et al. (1995), *Plant Cell* 7 : 347-358.
- Dehio, C., and Schell, J. (1994). *Proc. Natl. Acad. Sci. U.S.A.* 91: 5538-5542.
- 5 Dorer, D.R. and Henikoff, S. (1994). *Cell*, 77, 993-1002.
- Elkind, Y. et al. (1999) *Proc. Natl. Acad. Sci. U.S.A.* 87: 9057-9061.
- Flavell, R.B. (1994) *Proc. Natl. Acad. Sci. U.S.A.* 91: 3490-3496.
- 10 Garrick D., et al. (1998) *Nature Genetics* 18, 56-59.
- Lindbo, J.A. et al. (1993) *Plant Cell* 5 : 1749-1759.
- Maniatis, S.T. et al. (1982) *Molecular Cloning - A Laboratory Manual*, Cold Spring Harbor, New York: Cold Spring Harbor Laboratory Press.
- 15 Mittelstein Scheid, O. et al. (1994) *Mol. Gen. Genet.* 244: 325-330.
- Pal-Bhadra, M., et al., (1997). *Cell* 90, 479-490.
- Palauqui, J.C. et al., (1997) *EMBO J.* 16: 4738-4745.
- Pirrotta, V. (1997). *TIG* 13, 314-318.
- 20 Schiebel et al. (1998) *The Plant Cell* 10:2087-2101.
- Schmidhauser, T.J. et al., *Mol. Cell. Biol.* 10: 5064-5070
- Staben, C. et al. (1989) *Fungal Genetics Newsl.* 36:79-81.
- Stam, M. et al. (1997) *Plant Journal* 1: 63-82.
- van Blokland, R. et al. (1994), *Plant*, 6, 861-887.
- 25 Vaucheret, H. (1993), *C.R. Acad. Sci. Paris, Sciences de la vie/Life sciences* 316, 1471-1483.
- Voellmer, L.J. and Yanofsky, C. (1987) *Proc. Natl. Acad. Sci. USA* 83, 4869-4873.
- Wallrath, L.L. and Elgin, S.C.R. (1995). *Genes &*
- 30 *Development* 9, 1263-1277.

## CLAIMS

1. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain, wherein  
5 the domain is at least 30% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1.

2. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain  
10 according to claim 1, wherein the domain is at least 40% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1.

3. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain  
15 according to claim 2, wherein the domain is at least 50% homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1.

4. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain  
20 according to claim 3, wherein the domain is the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1.

5. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain  
25 according to claim 4, wherein said nucleotide sequence encodes for a protein having the amino acid sequence of SEQ ID No. 1 or functional portions thereof.

6. Nucleotide sequence encoding for a protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain  
30

according to claim 4, wherein said nucleotide sequence is the sequence of SEQ ID No. 1 or its complementary sequence.

7. Expression vector comprising, under the control of a promoter that is expressed in bacteria, the nucleotide sequence according to any one of claims 1-6.

8. Expression vector comprising, under the control of a promoter that is expressed in plants or in specific plant organs, the nucleotide sequence according to any one of claims 1-6 in a sense and anti-sense orientation.

9. Expression vector comprising, under the control of a promoter that is expressed in fungi, the nucleotide sequence according to any one of claims 1-6 in a sense and anti-sense orientation.

10. Expression vector comprising, under the control of a promoter that is expressed in animals, the nucleotide sequence according to any one of claims 1-6 in a sense and anti-sense orientation.

11. Prokaryotic organism transformed by using the expression vector active in bacteria according to claim 7.

12. Plants or a specific plant organ transformed by using the expression vector active in plants according to claim 8.

13. Plant mutated at the nucleotide sequence according to any one of claims 1-6 having a reduced or inhibited silencing activity.

14. Fungus transformed by using the expression vector active in fungi according to claim 9.

15. Fungus mutated at the nucleotide sequence according to any one of claims 1-6 having a reduced or inhibited silencing activity.

16. Non-human animal transformed by using the expression vector active in animals according to claim 10.

5 17. Non-human animal mutated at the nucleotide sequence according to any one of claims 1-6 having a reduced or inhibited silencing activity.

10 18. Protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain wherein the domain is at least 30 % homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1.

15 19. Protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain according to claim 18, wherein the domain is at least 40 % homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1

20 20. Protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain according to claim 19, wherein the domain is at least 50 % homologous with the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1

25 21. Protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain according to claim 20, wherein the domain is the amino acid sequence from aa. 710 to aa. 1282 of SEQ ID No. 1.

30 22. Protein characterized in having a silencing activity and in comprising a RNA-dependent RNA polymerase domain according to claim 21 comprising the amino acid sequence of SEQ ID No. 1 or functional portions thereof.

23. Use of the nucleotide sequence according to any one of claims 1-6 to modulate the gene silencing in plants, animals and fungi.





FIG. 1





b




FIG. 2




FIG. 3

MNPITPRKRN SPVEEIINRL NNDYNLGLQC VADTTLTPHR RKELAESDED FGRHDKIYRA	60
LNFLYWRKDD SLNQAEANFF IEAKAASSNW VPKAHADPDT LPWSKEPPRA ATAGQQWALQ	120
TVLLEVLNRF MPPPNNTPGR TFGRTLSGPS GLSRPTSTNT KRKDEPANVT FADPPKRSLT	180
RSATGPPIHG AAIPLKFPDP VNTGSKRPSL ESENLNQCTK RAKGKLSDNV AAAAAPPVPI	240
ASALDKVPTR RHANTRDPTA TGHRRADQVD SFDTSQGTSY GSSVFSACRH NQSTTQSSFE	300
APPSQPREKR PVDATVFEAG HLIIESPSKGR TTKSHIDNQP LSSSSQGETS FSTYYESFPS	360
SGGEGAIPEP SRSNGLARSE ESARSQVQVH APVVAARLRN IWPKFPPKWLH EAPLAVAWEV	420
TRLFMHCKVD LEDESLGLKY DPSWSTARDV TDIWKTLYRL DAFRGKPFPE KPPNDVFVTA	480
MTGNFESKGS AVVLSAVLDY NPDNSPTAPL YLVKLKPLMF EQGCRLTRRF GPDRFFEILI	540
PSPTSTSPSV PPVVSQPGA VEEVIQWLTM GQHSVLGRQW RAFFAKDAGY RKPLREFQLR	600
AEDPKPIIKE RVHFFAETGI TFRPDVFKTR SVVPAEEPVE QRTEFKVSQM LDWLLQLDNN	660
TWQPHLKLFS RIQLGLSKTY AIMTLEPHQI RHHKTDLLSP SGTGEVMNDG VGRMSRSVAK	720
<u>RIRDVLGLGD VPSAVOGRFG SAKGMWVIDV DDTGDEDWIE TYP SORKWEC DEVDKHORTL</u>	780
<u>EVRSVASELK SAGLNLOLLP VLEDRARDKV KMROAIGDRL INDLOROFSE OKHALNRPE</u>	840
<u>FROMVYESYS SRATRVSHGR VPFLAGLPDS OEETLNFLMN SGFDPKKOKY LODIAWDLOK</u>	900
<u>RKCDTLKSKL NIRVGRSAYI YMIADFWGVL EENEVHVGES SKERDEEESF TLLSDCDVLV</u>	960
<u>ARSPAHEPSD IORVRAVEKP ELHSLKDVII FSTKGDVPLA KKLSSGGDYDG DMAWVCWDPE</u>	1020
<u>IVDGEVNAEM PLEPDLRYL KKDKTTEKOL MASHGTGSAA KEOTTYDMIO KSEHFALOPN</u>	1080
<u>FLGMCNTNYKE RLCYINNSVS NKPAIILSSL VGNLVDOSKO GIVFNEASWA OLRRELLGGA</u>	1140
<u>LSLPDPMYKS DSWLGRGEPT HIIDYLKESI ARPAIDKELE AEHNAMKAAK DTEDGAHFW</u>	1200
<u>PDLASYYTEF KEISDKSRSS ALLETTLKNR IGEVEKEYGR LVKNKEMRDS KDPYPVRVNO</u>	1260
<u>VYEKWCAITP EAMDKSGANY DSKVIRLLEL SFLADREMNT WALLRASTAF KLYYHKSPKF</u>	1320
<u>VWQMAGRQLA YIKAQMTSRP GEGAPALMTA FMYAGLMPDK KFTKQYVARL EGDGSEYPDP</u>	1380
EVYEVLGDDD FDGIGFTGNG DY	

FIG. 4

araB	GIGKISLAFKQVAQKCG--LSHVPSAFCIFYGGYKG--VAVERSSFRKLSL-----	PD	606
RdRP	GIGKISGDFAHFVASKCG--LQYTPSAFCIFYGGYKG--VVGVDSDSSMKLSL-----	PK	577
pom	GVGMASLSVIRPLSLEVKNHDMFSAFCIFMGGYKG--VLSLA--PTKLEYHQGNLVFPPR		672
elegl	CCGRISIKLTHISKILO--LKEVPACFCVFCKGFKG--LLVIDETIDDIINMP-KVIFPK		923
qdel	GVGRMSRSVAKRIRDVLG--LGDVPSAVCGFFCSAKGMWVADVEDTGDEDWIET-----	YP	763
araB	SMLKFDN-----NRMLNVTWRT-ESMPCFLHFEIICLLSTLCIGIDAMFEA-----	MQAV	655
RdRP	SMSKYESD-----NIKLDVLGWS-KYQPCYLNPLITLLSTLCVKEDEVLEQ-----	KQKE	626
pom	SCDKFKSF-----HSTLEVIKIS-RFSNAHLMOLITLLEGLGVKATVFLE-----	LTRS	721
elegl	SCQKFGEGGELQDEYLEVVKYA-MPSEVCLHPPFITLLDQVSEKQSASSHRR--ITNRV		980
qdel	SCRFWECDFVDKHQRTLEVRVASELSAGLNLLOLPVLEDRAROKVKMRQAIGDRIND		623
araB	HLSMLGNMLEDRDAALNVLOKLS-GENSKNLLVKMLLQ----GYAPSSSEFYLSMMLRVH		710
RdRP	AVDQLDAILHDSLKAQEAELMSPGENT-NILKAMLMC----GYKPAEFPFLSMMLQTR		681
pom	QLSKMNSINSKQKSILMRDNVDEYHSTLIADFIQA----GFLERDDAFTENTNLNLY		777
elegl	HYLLERELCSLSNMLINENCAAEELVNRMLAIDWNAASKRAGFELSVLPLRDMIFS		1040
qdel	LQRQFSQKHALNRPVEFRQVYYESYSRATRVSHGRVPFLAGLPDSQEETLNFLNNSG		693
araB	ESQSELKSRCRILVPE--GRITIGCMDEMGILE--YGOVYVRVTLTKAELKSRDQSYFR		766
RdRP	ASKLLDLRTRSRIFIPN--GRTMMGCLDESRTLE--YGOVFVQFTGAGHGEFSDDLHPFN		737
pom	EWVRLIKEKQKVSVP--GAYLLGVADEGTTLKGHYDDAVLSVPEIFIQITDTSTSGS		835
elegl	RYNIIHHSKAKIFLEPSLGRSMYGVVDETGLLQ--YGOVFIQYSPSIRQTSNRP-----		1093
qdel	DPKKQKYLQDIADWLQCR--KCDTLKSKLNIRVGRSAIYMIADFVGWLEENEVHVGFSSK		942
araB	KIDEETS--VV-IGKVVTANPCLHFGDIRVLDAIYEVHFEEKGYLDCLTFPQGERPHE		823
RdRP	NSRSTNSNFI--KCNVVAKHPCCLHFGDIRVLKAVNVRAH--MVLCCVVFQNGKRPHE		794
pom	YSTGKLKTRVI--VGLCIVARHPSLHPGEVRVCKAVRCDELMH--LKNVIVFPTTGDFSTF		892
elegl	--ILKT-----GKVLITKHPCHPVPGDVVFDVWQPALAH--LVDVVFVPCHGPRPHE		1142
qdel	FRDEEESTLSDCDVILVARSFAHFSDTQRVRVAFKPELHS--LKDVILESTEGDVPLA		1000
araB	NECSGGDLGEOFFVSDDEKLTISEMDPMDYAGSRPRLMH--		866
RdRP	NECSGSDLDGLIYFCWDQDMIEPRQVQPMYPPAPSIQLCH--		937
pom	AMCSGGDLGDEYTVIWDQRILIKIVNYPLLESSPKKSIDFLEG-----		937
elegl	DEMACSGLGDEYSIIWDCMMLDYNEEAIVFPSSSAEECKE-----		1185
qdel	KKLSGGEYDGDMAWVCNDEPELVDFGVNADPLEPDLRYLKKKTTFKQLMASHTGSAA		1060
araB	---VLESHKFFVDENISDTLGVIST--AHLVHA----DRDEKARSQKOLELANLHSP		917
RdRP	---VITDEVEEYFTNIVVNDSLGIIAH--AHVVFA----DREDMAMSDPCKKLAELFSI		888
pom	--KPLIESVKEFFVNYIKYDSLGLISH--HWKAWAH--DHNNNEGIFGNVQLELAEMHSP		992
elegl	---PTTDMVEFFLRVLQDSITGRMSH--AHLAYA----DLHG-LFHENCHALALKCAV		1234
qdel	KEQTTYDMTOKSFHFAIQPNFELGCTHYKERLCYINNSVSNKDAIILSLVGNLVDQSKQ		1120
araB	AVDFAKTSAPAEPPYAKKE-REFPDFLERFENPTYISESVFGLMFAVKSSSLAQRKPEE		976
RdRP	AVDSPKIGVPAEIPSQLRP-KEYPDFIDPDHTSYISEFVIGLRRHVKDKAPQASSIA		947
pom	AVDFAKSSVACKMOAKYHE-KRYEDFNOCTTRTSFRSETAVGKITEFYAARFQRESGRP		1051
elegl	AVDFAKSSVPAEPLSSFEQCEMTPLYMSGGHPMYSTPLNSQHRHARKVEEVLEEF		1294
qdel	GIVNEASWAQLRRELGGALSLEPPEYSLSWLGRGEPHTIIDYLFISIARPAIDKEE		1180
araB	SEDIVA---IVTLEEAGEES-F-----IETAKAHRDMYGERKITSIMYYGAANNEEILT		1027
RdRP	FTRDVARRSYDADMEVDGFEED-Y-----IDEAFDYKTEYDNKLGNLMDYYGKTEAFILS		1001
pom	YNPIMN-TVVPCMKLPKTEY-----LNVAEVVKHNDNDRSIRARFDTSTEYEVYT		1105
elegl	RGSVFER-EYDKLICPEDVDVFFGNEIKLVOTLTLRDEYVDRMOQLIDEYGIIDEASVVS		1353
qdel	AFHNAMKAAKETEDGAHFWDPLAS--YYTFKEISDKSRSSALLFTTLKNRIGEVKEY		1238
araB	E-IITKEMYLARENRRNGDMKDRITLSVKDILHKEAMGWSEKSCED-----		1073
RdRP	GGIMEASKTF---ERRKD---AEAISVAVRALRKEERAWKRRNDID-----		1042
pom	AFILFKDDLAK---TVNEEG-LREEVSFQFDLLKPKYTQEYLEKCAL-----		1149
elegl	GHAASIKRLAGMERDDYSFYHTDKVVELRYEKLYAVFRAKFEFEGGEEINIENDGKNTR		1413
qdel	GRVYFNKEMRD---SKDPFVRVNVQYEWCAHTPEAMDKSGANYDSK-----		1283

FIG. 5

## SEQUENCE LISTING

<110> Università degli Studi di Roma La Sapienza

Macino Giuseppe

5 Cogoni Carlo

<120> Isolation and characterization of a N. crassa silencing  
gene and uses thereof

<130> macino2

<140>

10 <141>

<150> RM99A000117

<151> 1999-02-22

<160> 2

<170> PatentIn Ver. 2.1

15

<210> 1

<211> 8045

<212> DNA

<213> Neurospora crassa

20

<220>

<221> CDS

<222> (2447)..(6655)

25 <400> 1

ggtaccgggc cccccctcga ggtcgacggt atcgataagc ttgatatcga attctgaaaa 60  
gtcctaaaagt ctctgtctc tcattgctagg tagccctact gcgtgtgtag tgtagtaggt 120  
ccgaataggt tcgtacgtg tcccccttag ggggctgggt taacagggag acaggggtaca 180  
gtctctcggg aacagagacg accaagcttt gttgtgtgac atcatcttga gaccattcgt 240  
30 ctgaggggtcc atacaacat acattgctgtg tagagagtgg tgggaatatt agagggttact 300  
ttgagagttt ctgaagagat tgagactgta ggtacgttca tttatcgggt cgacgagaat 360  
gggcacgcat gagtcgacat ttgcaatttg ttggttgga cgcacatcga tagtgtagac 420  
atgtgtcggc ctgagactgt ccaatggacc aatggtaagg cgtgagcggc gagggggtc 480  
aacttgaggt taatgtacac agtacttgag gctgtagcgg gcagcgggaag catccgtcct 540  
35 cgaatggaca ttcccaagcc agccaacact ggtgtccatt taaaagcgtt ttctccatgg 600  
gggaacaatg gccggcgtag tatctgtaag aggacctaga ggacggtatt agaacatttg 660

ggtgatgtat ctagatcacc gatgtgtccc tgaatagtcc atgaatagtc tgggatgagt 720  
 ccgagatcag tccgggatgt gtcaccgata tatccatgac ttatctctga tttatcccag 780  
 cgagacccca atcagtatga ccgacagcga caccatcacc ggcgccagcg tatgagatcc 840  
 tgaacatatg ttaggcata gtaggcata tgtatgcata gagcatgcac cacatatctg 900  
 5 agagctgcct gtgactacct agaggtatgt agaggtaatg tcacgtacct tacctctacc 960  
 aaatgtatcc cgcagtcact cgtattcccg ctgtagtgta cactagaact agccccgcct 1020  
 tttgatcct ggagtgtccc cattccacgc acttgccaag aaccacaacc tcgcaaagcg 1080  
 cgctgacagg gcaccgtgct gcctggacct ttgcgggccc ttccttcttg accggcgcca 1140  
 ggcagcagac cggttggttc ttgttctca aggtgacgaa ggcgattaaa aaatccaaga 1200  
 10 caaccagatc ctggaacctt tgatcatccc tcgtttactc agacgaaaaa actaaaaaac 1260  
 ttcaaagtcg ttgtcagatt aattgaaccg ttaaaacagg acatgtccgc cctttcgtct 1320  
 ctcatgccct cgaaacctca cgtcttccat ctctcgtcgc atccccccct cccacgacc 1380  
 ctgattcagc agcgaactga cctgtcactt tactgtggac tcctcctaga gtagggctgg 1440  
 ccatccccgg gccccctgca gcttctgcaa gtcaaagcga tggaaggatg gccgtccagt 1500  
 15 ggggtgcggca tacagccatt tccaaaatgg tctcgtcgca tgcggaagaa aaaaaatgga 1560  
 aggctacgag cctgcgacac ctgtacggtc actgcggcta cccttcacca ccaccagtga 1620  
 tatcatcacc cataccatca gggccactac cgccgcgctc tctcgaacat cgggctgaat 1680  
 gtgaccaatt gcgccgacag cgggcttttc gatcctgtgg gcagcttctt ccaccggttt 1740  
 gcgctgatct gggagcgtat cgagctggat tgggactggt taccactcga atcacttgac 1800  
 20 ggctcggcgc gattctatgg ccattccacc cgattgatcg gtcccttcac tgtttctgc 1860  
 aacctactct cccgaccaga tcagacgagg ctttatgccc agttccgggc gttgccaatt 1920  
 atagccacag cacgaagctc gccaaagtgc ttcgaaatgc tcaaaactgt tcacacactt 1980  
 tgcacgaaca ggaccaccac gaaaaaccac cttggccccg tcgcgcgaac ccgtgtcttt 2040  
 gaactcgatc agccccaatc ccaaaccagg tcgcctttcc ccgctgcgcc tgcttgctcc 2100  
 25 gacttcgtga agcaaaacag actggcggct atggccaagg cccattccat gacaattggt 2160  
 taatcgaggt caaaaactac aagagatcaa cgccgcaaag atatacttgt cgttcacccc 2220  
 gacaaccgca aagccttgaa gcgcaaagcc acagtgggtg tgtttacttc cgcacactta 2280  
 tcgaccctta cgccaagac gctcccgtt ggtagaagct cgagtcgggt aatcaggtat 2340  
 atctcacagt cgccttgctc tccttttcgg tgggtggtcg ttttatcatg ccttatcgct 2400  
 30 aaccgggttg tatactctac tccaggcccg atctcccacg gcacaa atg aac cct 2455  
 Met Asn Pro  
 1  
 att act cct agg aag agg aat agc ccc gtc gag gaa atc ata aac cg 2503  
 Ile Thr Pro Arg Lys Arg Asn Ser Pro Val Glu Glu Ile Ile Asn Arg

	ctc aat aac gac tac aac ctg ggc ctc cag tgt gtc gca gac aca act	2551
	Leu Asn Asn Asp Tyr Asn Leu Gly Leu Gln Cys Val Ala Asp Thr Thr	
	20 25 30 35	
5	ctc acc ccc cac cgc cgg aag gag ctg gcc gag agt gac gag gat ttc	2599
	Leu Thr Pro His Arg Arg Lys Glu Leu Ala Glu Ser Asp Glu Asp Phe	
	40 45 50	
10	ggt cgc cat gac aag atc tac aga gcc ctg aac ttt ctc tac tgg cgg	2647
	Gly Arg His Asp Lys Ile Tyr Arg Ala Leu Asn Phe Leu Tyr Trp Arg	
	55 60 65	
15	aag gat gac tcc ctg aac cag gca gaa gcc aac ttc ttc atc gag gcc	2695
	Lys Asp Asp Ser Leu Asn Gln Ala Glu Ala Asn Phe Phe Ile Glu Ala	
	70 75 80	
20	aaa gct gcg agc tcg aac tgg gtg ccc aaa gcc cac gcc gac cct gac	2743
	Lys Ala Ala Ser Ser Asn Trp Val Pro Lys Ala His Ala Asp Pro Asp	
	85 90 95	
25	acg ctt ccg tgg tcc aag gaa cct ccc cgc gcc gct act gcc ggc caa	2791
	Thr Leu Pro Trp Ser Lys Glu Pro Pro Arg Ala Ala Thr Ala Gly Gln	
	100 105 110 115	
30	caa tgg gca ttg cag act gtg ttg ctc gag gtg ctt aat agg ttt atg	2839
	Gln Trp Ala Leu Gln Thr Val Leu Leu Glu Val Leu Asn Arg Phe Met	
	120 125 130	
35	cca cct ccc aat aac aca cca ggt cga acg ttt ggc aga act cta agc	2887
	Pro Pro Pro Asn Asn Thr Pro Gly Arg Thr Phe Gly Arg Thr Leu Ser	
	135 140 145	
35	ggc cca agt ggc ctg agc cgc cca acc tct acc aac acc aaa cgc aag	2935
	Gly Pro Ser Gly Leu Ser Arg Pro Thr Ser Thr Asn Thr Lys Arg Lys	
	150 155 160	

	gat gag ccc gcc aat gtc act ttc gct gat ccg ccc aaa cgc tcg ttg	2983
	Asp Glu Pro Ala Asn Val Thr Phe Ala Asp Pro Pro Lys Arg Ser Leu	
	165 170 175	
5	act cgc tct gcc aca ggt cct cct att cac ggc gcg gcg ata ccc cta	3031
	Thr Arg Ser Ala Thr Gly Pro Pro Ile His Gly Ala Ala Ile Pro Leu	
	180 185 190 195	
10	aag ttc ccc gat cca gtg aat acc ggt tcc aaa cga cca tct ctc gag	3079
	Lys Phe Pro Asp Pro Val Asn Thr Gly Ser Lys Arg Pro Ser Leu Glu	
	200 205 210	
15	agt gag aat ctc aat cag tgc acc aag cgg gcc aag ggc aag ctg tct	3127
	Ser Glu Asn Leu Asn Gln Cys Thr Lys Arg Ala Lys Gly Lys Leu Ser	
	215 220 225	
20	gat aat gtt gcc gct gcc gcc gcc ccg ccc gtg cct att gcg agc gct	3175
	Asp Asn Val Ala Ala Ala Ala Ala Pro Pro Val Pro Ile Ala Ser Ala	
	230 235 240	
	ttg gac aag gta ccg act cga agg cat gcc aat acg aga gat ccc acg	3223
	Leu Asp Lys Val Pro Thr Arg Arg His Ala Asn Thr Arg Asp Pro Thr	
	245 250 255	
25	gcg aca ggt cat aga cga gcg gac cag gtg gat tcc ttt gat aca tct	3271
	Ala Thr Gly His Arg Arg Ala Asp Gln Val Asp Ser Phe Asp Thr Ser	
	260 265 270 275	
30	caa ggc act tcc tat ggt tcg agt gtc ttc agc gct tgc cgt cac aat	3319
	Gln Gly Thr Ser Tyr Gly Ser Ser Val Phe Ser Ala Cys Arg His Asn	
	280 285 290	
35	cag agc act acc cag agt agt ttt gag gct cct cct tca cag ccc aga	3367
	Gln Ser Thr Thr Gln Ser Ser Phe Glu Ala Pro Pro Ser Gln Pro Arg	
	295 300 305	



	gag aag cgg cct gtg gat gcc acg gtc ttt gag gct gga cac ttg att	3415
	Glu Lys Arg Pro Val Asp Ala Thr Val Phe Glu Ala Gly His Leu Ile	
	310 315 320	
5	gag tct cct agc aaa gga aga aca acc aag tcc cac ata gat aac cag	3463
	Glu Ser Pro Ser Lys Gly Arg Thr Thr Lys Ser His Ile Asp Asn Gln	
	325 330 335	
10	ccc ctt tca tcg tct tcc cag ggt gaa act tcg ttc agc act tac tat	3511
	Pro Leu Ser Ser Ser Ser Gln Gly Glu Thr Ser Phe Ser Thr Tyr Tyr	
	340 345 350 355	
15	gag tcg ttt cca agt tcc ggc ggc gag ggc gca att ccc gag ccg agt	3559
	Glu Ser Phe Pro Ser Ser Gly Gly Glu Gly Ala Ile Pro Glu Pro Ser	
	360 365 370	
20	cgc tca aat gga ctg gct cgg agc gaa gaa agc gct cga tct cag gtt	3607
	Arg Ser Asn Gly Leu Ala Arg Ser Glu Glu Ser Ala Arg Ser Gln Val	
	375 380 385	
25	caa gtt cat gcc ccg gtg gtt gca gct cgg ctg aga aat att tgg ccg	3655
	Gln Val His Ala Pro Val Val Ala Ala Arg Leu Arg Asn Ile Trp Pro	
	390 395 400	
30	aaa ttt ccc aaa tgg cta cac gaa gct cct ctc gct gtt gca tgg gaa	3703
	Lys Phe Pro Lys Trp Leu His Glu Ala Pro Leu Ala Val Ala Trp Glu	
	405 410 415	
35	gtt acc aga ctc ttt atg cac tgc aaa gta gac ttg gaa gac gag agc	3751
	Val Thr Arg Leu Phe Met His Cys Lys Val Asp Leu Glu Asp Glu Ser	
	420 425 430 435	
35	ctg ggc cta aag tac gac cct tcc tgg tct acc gcg cgc gat gtc aca	3799
	Leu Gly Leu Lys Tyr Asp Pro Ser Trp Ser Thr Ala Arg Asp Val Thr	
	440 445 450	

	gat atc tgg aag act ctc tac cgg ctt gat gct ttc cgt ggt aaa ccc	3847
	Asp Ile Trp Lys Thr Leu Tyr Arg Leu Asp Ala Phe Arg Gly Lys Pro	
	455 460 465	
5	ttt cca gaa aag ccg ccc aac gac gtg ttc gtg acc gca atg acg ggc	3895
	Phe Pro Glu Lys Pro Pro Asn Asp Val Phe Val Thr Ala Met Thr Gly	
	470 475 480	
10	aac ttt gag agc aaa ggt agt gcc gtt gtt ctc tct gct gtt cta gac	3943
	Asn Phe Glu Ser Lys Gly Ser Ala Val Val Leu Ser Ala Val Leu Asp	
	485 490 495	
15	tac aat ccg gac aac tcg cct act gcg ccc ctt tac ctt gtg aag ctg	3991
	Tyr Asn Pro Asp Asn Ser Pro Thr Ala Pro Leu Tyr Leu Val Lys Leu	
	500 505 510 515	
20	aag ccg ctc atg ttc gag cag ggc tgt cga ctc acc cgt cgg ttc ggt	4039
	Lys Pro Leu Met Phe Glu Gln Gly Cys Arg Leu Thr Arg Arg Phe Gly	
	520 525 530	
	cct gat agg ttt ttc gag atc ctt ata ccg tcg cct acg agc acc agc	4087
	Pro Asp Arg Phe Phe Glu Ile Leu Ile Pro Ser Pro Thr Ser Thr Ser	
	535 540 545	
25	cca agt gta ccg ccg gtg gtc agc aaa caa cca ggt gcg gtc gaa gaa	4135
	Pro Ser Val Pro Pro Val Val Ser Lys Gln Pro Gly Ala Val Glu Glu	
	550 555 560	
30	gtc atc cag tgg ctc acg atg ggg caa cat tct ctt gta ggc cgc caa	4183
	Val Ile Gln Trp Leu Thr Met Gly Gln His Ser Leu Val Gly Arg Gln	
	565 570 575	
35	tgg cgc gct ttc ttc gcc aaa gat gcc gga tac agg aaa cct ctc agg	4231
	Trp Arg Ala Phe Phe Ala Lys Asp Ala Gly Tyr Arg Lys Pro Leu Arg	
	580 585 590 595	

	gag ttc cag ctc cgc gcc gag gac ccg aaa ccc atc atc aag gag aga	4279
	Glu Phe Gln Leu Arg Ala Glu Asp Pro Lys Pro Ile Ile Lys Glu Arg	
	600 605 610	
5	gtc cac ttc ttt gcc gag acc ggc att acg ttc cga cct gat gtg ttc	4327
	Val His Phe Phe Ala Glu Thr Gly Ile Thr Phe Arg Pro Asp Val Phe	
	615 620 625	
10	aag acg aga tct gtc gtt ccg gca gag gaa cct gta gag caa cgg acc	4375
	Lys Thr Arg Ser Val Val Pro Ala Glu Glu Pro Val Glu Gln Arg Thr	
	630 635 640	
15	gag ttc aaa gtt agt caa atg ctg gac tgg ctc ctg caa ctc gac aac	4423
	Glu Phe Lys Val Ser Gln Met Leu Asp Trp Leu Leu Gln Leu Asp Asn	
	645 650 655	
20	aac act tgg cag ccg cac ctc aag ttg ttc tcc cgt atc cag ctc ggt	4471
	Asn Thr Trp Gln Pro His Leu Lys Leu Phe Ser Arg Ile Gln Leu Gly	
	660 665 670 675	
25	ctg agt aag aca tat gcc att atg aca ttg gag cct cac cag atc aga	4519
	Leu Ser Lys Thr Tyr Ala Ile Met Thr Leu Glu Pro His Gln Ile Arg	
	680 685 690	
30	cac cac aag acc gat ctt ctt tca cct tca ggc act ggc gaa gtg atg	4567
	His His Lys Thr Asp Leu Leu Ser Pro Ser Gly Thr Gly Glu Val Met	
	695 700 705	
35	aat gac ggt gta ggc cgc atg tcg cga agc gtg gcc aag agg ata cgc	4615
	Asn Asp Gly Val Gly Arg Met Ser Arg Ser Val Ala Lys Arg Ile Arg	
	710 715 720	
35	gat gtt ctc ggt ttg ggt gat gtg ccc tct gct gtg caa ggg cgg ttt	4663
	Asp Val Leu Gly Leu Gly Asp Val Pro Ser Ala Val Gln Gly Arg Phe	
	725 730 735	

	ggt tcg gcc aag gga atg tgg gtt atc gac gtt gac gac aca ggc gat	4711
	Gly Ser Ala Lys Gly Met Trp Val Ile Asp Val Asp Asp Thr Gly Asp	
	740 745 750 755	
5	gag gat tgg atc gag aca tac ccg tcc cag cgc aag tgg gaa tgc gac	4759
	Glu Asp Trp Ile Glu Thr Tyr Pro Ser Gln Arg Lys Trp Glu Cys Asp	
	760 765 770	
	ttc gtt gat aaa cat caa cgt acc ctc gaa gtc cgg agc gtg gct tct	4807
10	Phe Val Asp Lys His Gln Arg Thr Leu Glu Val Arg Ser Val Ala Ser	
	775 780 785	
	gaa ctg aag tca gct ggt ctc aac cta cag ctg tta cct gtc ctg gaa	4855
	Glu Leu Lys Ser Ala Gly Leu Asn Leu Gln Leu Leu Pro Val Leu Glu	
15	790 795 800	
	gat aga gcc agg gac aag gtg aag atg cgc cag gca atc ggt gac cgt	4903
	Asp Arg Ala Arg Asp Lys Val Lys Met Arg Gln Ala Ile Gly Asp Arg	
	805 810 815	
20	ctt atc aac gat ttg caa cga cag ttc agc gag caa aag cat gct ttg	4951
	Leu Ile Asn Asp Leu Gln Arg Gln Phe Ser Glu Gln Lys His Ala Leu	
	820 825 830 835	
25	aat cgc cca gtg gaa ttt cgc caa tgg gtt tac gag agt tat tcc agt	4999
	Asn Arg Pro Val Glu Phe Arg Gln Trp Val Tyr Glu Ser Tyr Ser Ser	
	840 845 850	
	cgc gca act cga gtc agc cac ggc cgt gtg cct ttt ctt gct ggg cta	5047
30	Arg Ala Thr Arg Val Ser His Gly Arg Val Pro Phe Leu Ala Gly Leu	
	855 860 865	
	cct gac agt caa gag gag aca ctg aac ttc ttg atg aac agt ggg ttc	5095
	Pro Asp Ser Gln Glu Glu Thr Leu Asn Phe Leu Met Asn Ser Gly Phe	
35	870 875 880	

	gat ccc aag aag caa aag tac ttg caa gac atc gcc tgg gat ctt caa	5143
	Asp Pro Lys Lys Gln Lys Tyr Leu Gln Asp Ile Ala Trp Asp Leu Gln	
	885 890 895	
5	aag cgg aaa tgt gac acg ttg aag tcc aag ctg aac atc cgt gtc ggt	5191
	Lys Arg Lys Cys Asp Thr Leu Lys Ser Lys Leu Asn Ile Arg Val Gly	
	900 905 910 915	
10	cga tca gca tac att tac atg att gcc gat ttc tgg ggt gtg ctt gag	5239
	Arg Ser Ala Tyr Ile Tyr Met Ile Ala Asp Phe Trp Gly Val Leu Glu	
	920 925 930	
15	gaa aat gag gtt cat gtc gga ttc tcc tca aag ttc aga gac gag gag	5287
	Glu Asn Glu Val His Val Gly Phe Ser Ser Lys Phe Arg Asp Glu Glu	
	935 940 945	
20	gag tct ttt aca ctc cta tcg gac tgt gat gtc ctc gtg gcg cga tcc	5335
	Glu Ser Phe Thr Leu Leu Ser Asp Cys Asp Val Leu Val Ala Arg Ser	
	950 955 960	
25	cca gcc cat ttc cct agt gat atc caa cgg gtt cga gca gtc ttc aag	5383
	Pro Ala His Phe Pro Ser Asp Ile Gln Arg Val Arg Ala Val Phe Lys	
	965 970 975	
30	cca gag ctc cac agt ctc aag gat gta atc atc ttc tct act aaa gga	5431
	Pro Glu Leu His Ser Leu Lys Asp Val Ile Ile Phe Ser Thr Lys Gly	
	980 985 990 995	
35	gat gta ccg ctt gct aag aag cta tct ggt gga gac tac gac ggc gat	5479
	Asp Val Pro Leu Ala Lys Lys Leu Ser Gly Gly Asp Tyr Asp Gly Asp	
	1000 1005 1010	
40	atg gcc tgg gtc tgc tgg gat ccg gag atc gtc gat ggt ttc gtc aat	5527
	Met Ala Trp Val Cys Trp Asp Pro Glu Ile Val Asp Gly Phe Val Asn	
	1015 1020 1025	

	gcg gaa atg cct ctg gag ccc gac ctg tct agg tac cta aag aag gac	5575
	Ala Glu Met Pro Leu Glu Pro Asp Leu Ser Arg Tyr Leu Lys Lys Asp	
	1030 1035 1040	
5	aaa acg act ttc aaa caa ctt atg gcc tca cac ggc acg ggc tca gcg	5623
	Lys Thr Thr Phe Lys Gln Leu Met Ala Ser His Gly Thr Gly Ser Ala	
	1045 1050 1055	
10	gcc aaa gag cag act aca tac gat atg atc cag aag agc ttc cat ttc	5671
	Ala Lys Glu Gln Thr Thr Tyr Asp Met Ile Gln Lys Ser Phe His Phe	
	1060 1065 1070 1075	
15	gcc ctg cag ccc aac ttc ttg ggc atg tgc act aac tac aaa gaa agg	5719
	Ala Leu Gln Pro Asn Phe Leu Gly Met Cys Thr Asn Tyr Lys Glu Arg	
	1080 1085 1090	
20	ctc tgt tac atc aac aat agt gtg tct aac aag ccg gcc atc att ctt	5767
	Leu Cys Tyr Ile Asn Asn Ser Val Ser Asn Lys Pro Ala Ile Ile Leu	
	1095 1100 1105	
	agt tca ctg gtg gga aac ctc gtc gat cag agc aag caa ggt att gtc	5815
	Ser Ser Leu Val Gly Asn Leu Val Asp Gln Ser Lys Gln Gly Ile Val	
	1110 1115 1120	
25	ttt aac gaa gca agc tgg gct caa ttg cgt agg gaa ctg ctt ggc ggt	5863
	Phe Asn Glu Ala Ser Trp Ala Gln Leu Arg Arg Glu Leu Leu Gly Gly	
	1125 1130 1135	
30	gca ttg tcc ctt cct gac cca atg tac aag agc gac agt tgg ctc ggg	5911
	Ala Leu Ser Leu Pro Asp Pro Met Tyr Lys Ser Asp Ser Trp Leu Gly	
	1140 1145 1150 1155	
35	cgc gga gag cct acc cac att att gac tac ctg aaa ttc tcc atc gcc	5959
	Arg Gly Glu Pro Thr His Ile Ile Asp Tyr Leu Lys Phe Ser Ile Ala	
	1160 1165 1170	

	agg cct gcg att gac aag gaa ctg gaa gcc ttc cac aat gcc atg aaa	6007
	Arg Pro Ala Ile Asp Lys Glu Leu Glu Ala Phe His Asn Ala Met Lys	
	1175 1180 1185	
5	gcg gcc aag gat aca gaa gac ggc gct cac ttt tgg gat ccg gat ctc	6055
	Ala Ala Lys Asp Thr Glu Asp Gly Ala His Phe Trp Asp Pro Asp Leu	
	1190 1195 1200	
10	gct tcc tac tac acg ttc ttc aag gag att agc gac aag tcg cga tcg	6103
	Ala Ser Tyr Tyr Thr Phe Phe Lys Glu Ile Ser Asp Lys Ser Arg Ser	
	1205 1210 1215	
15	tcc gca ctg cta ttc acg act ctg aag aac cgt atc ggc gaa gtc gag	6151
	Ser Ala Leu Leu Phe Thr Thr Leu Lys Asn Arg Ile Gly Glu Val Glu	
	1220 1225 1230 1235	
20	aaa gaa tat ggc agg ttg gtc aaa aac aag gag atg aga gac agc aag	6199
	Lys Glu Tyr Gly Arg Leu Val Lys Asn Lys Glu Met Arg Asp Ser Lys	
	1240 1245 1250	
25	gac ccc tac cct gtc cgc gtc aac cag gtt tat gaa aaa tgg tgc gcc	6247
	Asp Pro Tyr Pro Val Arg Val Asn Gln Val Tyr Glu Lys Trp Cys Ala	
	1255 1260 1265	
30	atc acg cct gag gcg atg gac aaa tcc gga gca aat tat gat tct aag	6295
	Ile Thr Pro Glu Ala Met Asp Lys Ser Gly Ala Asn Tyr Asp Ser Lys	
	1270 1275 1280	
35	gtg atc agg ttg ctg gag ctg tcc ttc ctc gcg gac cgt gag atg aat	6343
	Val Ile Arg Leu Leu Glu Leu Ser Phe Leu Ala Asp Arg Glu Met Asn	
	1285 1290 1295	
40	aca tgg gca ttg ctg agg gct agc acg gct ttc aag ctg tac tac cac	6391
	Thr Trp Ala Leu Leu Arg Ala Ser Thr Ala Phe Lys Leu Tyr Tyr His	
	1300 1305 1310 1315	

aag agc ccc aag ttc gtg tgg cag atg gcg ggc aga cag ctc gcg tac 6439  
 Lys Ser Pro Lys Phe Val Trp Gln Met Ala Gly Arg Gln Leu Ala Tyr  
 1320 1325 1330

5 att aag gcg cag atg acg agc aga ccc ggt gaa ggc gcc ccg gcg ttg 6487  
 Ile Lys Ala Gln Met Thr Ser Arg Pro Gly Glu Gly Ala Pro Ala Leu  
 1335 1340 1345

10 atg acc gcg ttc atg tat gcg ggc ttg atg ccg gat aag aag ttt acg 6535  
 Met Thr Ala Phe Met Tyr Ala Gly Leu Met Pro Asp Lys Lys Phe Thr  
 1350 1355 1360

15 aag cag tat gtg gcc agg ctg gag ggc gat gga tcg gag tac cct gat 6583  
 Lys Gln Tyr Val Ala Arg Leu Glu Gly Asp Gly Ser Glu Tyr Pro Asp  
 1365 1370 1375

20 ccg gag gtc tat gaa gtg ctg ggc gat gat gat ttt gat gga att ggt 6631  
 Pro Glu Val Tyr Glu Val Leu Gly Asp Asp Asp Phe Asp Gly Ile Gly  
 1380 1385 1390 1395

ttc aca ggg aat ggc gat tat tag tcgggttgct tggagggggc cgctgcatcc 6685  
 Phe Thr Gly Asn Gly Asp Tyr  
 1400

25 ttatttttct gattttccga gtctttggtg ctgggaatgg gaatcttctg accatgttcc 6745  
 ctatgggtga gtgctcattt tatggacttc agttttggag ttttctttcg gctttgagat 6805  
 ctgcctgagc aagcgaggcg tgggacattc gggttggtgc tagaacataa aacgaaaatg 6865  
 ggagatgata tgattcttcg tggcgtgata atattgagat atttggtgct tgtgctttgt 6925  
 atccatgtcg cagatattcg ttcctacttg ttgcccgcga agcagatttg gtccaacttt 6985

30 caaacaatag tcagcaacct tgaggaaact atcgatctcg atacagacgc ttagaataaa 7045  
 tagcgtcctc gctcccttag cctccgacct ccaccttagg tggagcaccg gggatctcct 7105  
 agactccttt cagacctgtc taagtgagat atatagtgc aagcagttgg tgttacactt 7165  
 tgggtattaca tcaacaagac aatttgagat agactcattc cctccggttt tcttccgatt 7225  
 gcgactctat ttgatgattt tttttccatc tacccttgac aagcataact ctagcaaatac 7285

35 tttttgctga atgaatgtag gctctttggg atttcgaggt tttgaccttg aaacctttga 7345  
 tcttttgctc ttttgccttt tcgttgagtt ggaaagtata tcaactctac ctgatcacat 7405



cggaagcaac aacaacaaca acaacaacaa caacaacaac aacaacaaca acaacaacaa 7465  
 caacaacaac aacaacaaca acaacaacaa caacaacaac aacaacaaca acaacaacaa 7525  
 caacaacaac aacaacaaca acaacaacaa caacaacaac aacaacaaca acaacaacaa 7585  
 caacaacaac aacaacaaca acaacaacaa caacaacaac aacaacaaca acaacaacaa 7645  
 5 cagcaacaac aacaacaaca acaacaacaa caacaacaac aacaagacaa caacaagaca 7705  
 actatcaggt ttaacctcag taccatttgt aacagaccga gcgacctcat agcttatggg 7765  
 aaaataatac acgtccagag atacataaca aatacagcaa caacaatgaa gttcaaagag 7825  
 tttctcggcc gccgttccac caccaccagc accaccacca cccacagcat aaacctcgag 7885  
 tgtatgagtg acgagtacaa catgaaccgt cgacgatccc tatagtgagt cgtattatgc 7945  
 10 ggccgcgaat tcgatatcaa gcttatcgat accgtcgacc tcgagggggg gcccggtacc 8005  
 caattcggcc tatagtgagt cgtattacaa tcccagtcac 8045

<210> 2

<211> 1402

15 <212> PRT

<213> Neurospora crassa

<400> 2

Met Asn Pro Ile Thr Pro Arg Lys Arg Asn Ser Pro Val Glu Glu Ile  
 20 1 5 10 15  
 Ile Asn Arg Leu Asn Asn Asp Tyr Asn Leu Gly Leu Gln Cys Val Ala  
 20 25 30  
 Asp Thr Thr Leu Thr Pro His Arg Arg Lys Glu Leu Ala Glu Ser Asp  
 35 40 45  
 25 Glu Asp Phe Gly Arg His Asp Lys Ile Tyr Arg Ala Leu Asn Phe Leu  
 50 55 60  
 Tyr Trp Arg Lys Asp Asp Ser Leu Asn Gln Ala Glu Ala Asn Phe Phe  
 65 70 75 80  
 Ile Glu Ala Lys Ala Ala Ser Ser Asn Trp Val Pro Lys Ala His Ala  
 30 85 90 95  
 Asp Pro Asp Thr Leu Pro Trp Ser Lys Glu Pro Pro Arg Ala Ala Thr  
 100 105 110  
 Ala Gly Gln Gln Trp Ala Leu Gln Thr Val Leu Leu Glu Val Leu Asn  
 115 120 125  
 35 Arg Phe Met Pro Pro Pro Asn Asn Thr Pro Gly Arg Thr Phe Gly Arg  
 130 135 140

	Thr	Leu	Ser	Gly	Pro	Ser	Gly	Leu	Ser	Arg	Pro	Thr	Ser	Thr	Asn	Thr
	145					150					155					160
	Lys	Arg	Lys	Asp	Glu	Pro	Ala	Asn	Val	Thr	Phe	Ala	Asp	Pro	Pro	Lys
					165					170						175
5	Arg	Ser	Leu	Thr	Arg	Ser	Ala	Thr	Gly	Pro	Pro	Ile	His	Gly	Ala	Ala
					180					185					190	
	Ile	Pro	Leu	Lys	Phe	Pro	Asp	Pro	Val	Asn	Thr	Gly	Ser	Lys	Arg	Pro
					195					200					205	
	Ser	Leu	Glu	Ser	Glu	Asn	Leu	Asn	Gln	Cys	Thr	Lys	Arg	Ala	Lys	Gly
10		210						215						220		
	Lys	Leu	Ser	Asp	Asn	Val	Ala	Ala	Ala	Ala	Ala	Pro	Pro	Val	Pro	Ile
	225					230					235					240
	Ala	Ser	Ala	Leu	Asp	Lys	Val	Pro	Thr	Arg	Arg	His	Ala	Asn	Thr	Arg
					245					250					255	
15	Asp	Pro	Thr	Ala	Thr	Gly	His	Arg	Arg	Ala	Asp	Gln	Val	Asp	Ser	Phe
					260					265					270	
	Asp	Thr	Ser	Gln	Gly	Thr	Ser	Tyr	Gly	Ser	Ser	Val	Phe	Ser	Ala	Cys
					275					280					285	
	Arg	His	Asn	Gln	Ser	Thr	Thr	Gln	Ser	Ser	Phe	Glu	Ala	Pro	Pro	Ser
20		290						295					300			
	Gln	Pro	Arg	Glu	Lys	Arg	Pro	Val	Asp	Ala	Thr	Val	Phe	Glu	Ala	Gly
	305					310					315					320
	His	Leu	Ile	Glu	Ser	Pro	Ser	Lys	Gly	Arg	Thr	Thr	Lys	Ser	His	Ile
					325					330					335	
25	Asp	Asn	Gln	Pro	Leu	Ser	Ser	Ser	Ser	Gln	Gly	Glu	Thr	Ser	Phe	Ser
					340					345					350	
	Thr	Tyr	Tyr	Glu	Ser	Phe	Pro	Ser	Ser	Gly	Gly	Glu	Gly	Ala	Ile	Pro
					355					360					365	
	Glu	Pro	Ser	Arg	Ser	Asn	Gly	Leu	Ala	Arg	Ser	Glu	Glu	Ser	Ala	Arg
30		370						375					380			
	Ser	Gln	Val	Gln	Val	His	Ala	Pro	Val	Val	Ala	Ala	Arg	Leu	Arg	Asn
	385					390					395					400
	Ile	Trp	Pro	Lys	Phe	Pro	Lys	Trp	Leu	His	Glu	Ala	Pro	Leu	Ala	Val
					405					410					415	
35	Ala	Trp	Glu	Val	Thr	Arg	Leu	Phe	Met	His	Cys	Lys	Val	Asp	Leu	Glu
					420					425					430	

	Asp	Glu	Ser	Leu	Gly	L	u	Lys	Tyr	Asp	Pro	Ser	Trp	Ser	Thr	Ala	Arg
				435					440					445			
	Asp	Val	Thr	Asp	Ile	Trp	Lys	Thr	Leu	Tyr	Arg	Leu	Asp	Ala	Phe	Arg	
				450				455						460			
5	Gly	Lys	Pro	Phe	Pro	Glu	Lys	Pro	Pro	Asn	Asp	Val	Phe	Val	Thr	Ala	
				465				470				475				480	
	Met	Thr	Gly	Asn	Phe	Glu	Ser	Lys	Gly	Ser	Ala	Val	Val	Leu	Ser	Ala	
					485					490					495		
	Val	Leu	Asp	Tyr	Asn	Pro	Asp	Asn	Ser	Pro	Thr	Ala	Pro	Leu	Tyr	Leu	
10				500						505				510			
	Val	Lys	Leu	Lys	Pro	Leu	Met	Phe	Glu	Gln	Gly	Cys	Arg	Leu	Thr	Arg	
				515					520					525			
	Arg	Phe	Gly	Pro	Asp	Arg	Phe	Phe	Glu	Ile	Leu	Ile	Pro	Ser	Pro	Thr	
				530				535						540			
15	Ser	Thr	Ser	Pro	Ser	Val	Pro	Pro	Val	Val	Ser	Lys	Gln	Pro	Gly	Ala	
				545				550				555				560	
	Val	Glu	Glu	Val	Ile	Gln	Trp	Leu	Thr	Met	Gly	Gln	His	Ser	Leu	Val	
					565					570					575		
	Gly	Arg	Gln	Trp	Arg	Ala	Phe	Phe	Ala	Lys	Asp	Ala	Gly	Tyr	Arg	Lys	
20				580						585				590			
	Pro	Leu	Arg	Glu	Phe	Gln	Leu	Arg	Ala	Glu	Asp	Pro	Lys	Pro	Ile	Ile	
				595				600						605			
	Lys	Glu	Arg	Val	His	Phe	Phe	Ala	Glu	Thr	Gly	Ile	Thr	Phe	Arg	Pro	
				610				615						620			
25	Asp	Val	Phe	Lys	Thr	Arg	Ser	Val	Val	Pro	Ala	Glu	Glu	Pro	Val	Glu	
				625				630				635				640	
	Gln	Arg	Thr	Glu	Phe	Lys	Val	Ser	Gln	Met	Leu	Asp	Trp	Leu	Leu	Gln	
					645					650					655		
	Leu	Asp	Asn	Asn	Thr	Trp	Gln	Pro	His	Leu	Lys	Leu	Phe	Ser	Arg	Ile	
30				660						665				670			
	Gln	Leu	Gly	Leu	Ser	Lys	Thr	Tyr	Ala	Ile	Met	Thr	Leu	Glu	Pro	His	
				675						680				685			
	Gln	Ile	Arg	His	His	Lys	Thr	Asp	Leu	Leu	Ser	Pro	Ser	Gly	Thr	Gly	
				690						695				700			
35	Glu	Val	Met	Asn	Asp	Gly	Val	Gly	Arg	Met	Ser	Arg	Ser	Val	Ala	Lys	
				705				710				715				720	

	Arg Ile Arg Asp Val Leu Gly Leu Gly Asp Val Pro Ser Ala Val Gln		
	725	730	735
	Gly Arg Phe Gly Ser Ala Lys Gly Met Trp Val Ile Asp Val Asp Asp		
	740	745	750
5	Thr Gly Asp Glu Asp Trp Ile Glu Thr Tyr Pro Ser Gln Arg Lys Trp		
	755	760	765
	Glu Cys Asp Phe Val Asp Lys His Gln Arg Thr Leu Glu Val Arg Ser		
	770	775	780
	Val Ala Ser Glu Leu Lys Ser Ala Gly Leu Asn Leu Gln Leu Leu Pro		
10	785	790	795
	Val Leu Glu Asp Arg Ala Arg Asp Lys Val Lys Met Arg Gln Ala Ile		
	805	810	815
	Gly Asp Arg Leu Ile Asn Asp Leu Gln Arg Gln Phe Ser Glu Gln Lys		
	820	825	830
15	His Ala Leu Asn Arg Pro Val Glu Phe Arg Gln Trp Val Tyr Glu Ser		
	835	840	845
	Tyr Ser Ser Arg Ala Thr Arg Val Ser His Gly Arg Val Pro Phe Leu		
	850	855	860
	Ala Gly Leu Pro Asp Ser Gln Glu Glu Thr Leu Asn Phe Leu Met Asn		
20	865	870	875
	Ser Gly Phe Asp Pro Lys Lys Gln Lys Tyr Leu Gln Asp Ile Ala Trp		
	885	890	895
	Asp Leu Gln Lys Arg Lys Cys Asp Thr Leu Lys Ser Lys Leu Asn Ile		
	900	905	910
25	Arg Val Gly Arg Ser Ala Tyr Ile Tyr Met Ile Ala Asp Phe Trp Gly		
	915	920	925
	Val Leu Glu Glu Asn Glu Val His Val Gly Phe Ser Ser Lys Phe Arg		
	930	935	940
	Asp Glu Glu Glu Ser Phe Thr Leu Leu Ser Asp Cys Asp Val Leu Val		
30	945	950	955
	Ala Arg Ser Pro Ala His Phe Pro Ser Asp Ile Gln Arg Val Arg Ala		
	965	970	975
	Val Phe Lys Pro Glu Leu His Ser Leu Lys Asp Val Ile Ile Phe Ser		
	980	985	990
35	Thr Lys Gly Asp Val Pro Leu Ala Lys Lys Leu Ser Gly Gly Asp Tyr		
	995	1000	1005

	Asp Gly Asp Met Ala Trp Val Cys Trp Asp Pro Glu Ile Val Asp Gly
	1010 1015 1020
	Phe Val Asn Ala Glu Met Pro Leu Glu Pro Asp Leu Ser Arg Tyr Leu
	1025 1030 1035 1040
5	Lys Lys Asp Lys Thr Thr Phe Lys Gln Leu Met Ala Ser His Gly Thr
	1045 1050 1055
	Gly Ser Ala Ala Lys Glu Gln Thr Thr Tyr Asp Met Ile Gln Lys Ser
	1060 1065 1070
	Phe His Phe Ala Leu Gln Pro Asn Phe Leu Gly Met Cys Thr Asn Tyr
10	1075 1080 1085
	Lys Glu Arg Leu Cys Tyr Ile Asn Asn Ser Val Ser Asn Lys Pro Ala
	1090 1095 1100
	Ile Ile Leu Ser Ser Leu Val Gly Asn Leu Val Asp Gln Ser Lys Gln
	1105 1110 1115 1120
15	Gly Ile Val Phe Asn Glu Ala Ser Trp Ala Gln Leu Arg Arg Glu Leu
	1125 1130 1135
	Leu Gly Gly Ala Leu Ser Leu Pro Asp Pro Met Tyr Lys Ser Asp Ser
	1140 1145 1150
	Trp Leu Gly Arg Gly Glu Pro Thr His Ile Ile Asp Tyr Leu Lys Phe
20	1155 1160 1165
	Ser Ile Ala Arg Pro Ala Ile Asp Lys Glu Leu Glu Ala Phe His Asn
	1170 1175 1180
	Ala Met Lys Ala Ala Lys Asp Thr Glu Asp Gly Ala His Phe Trp Asp
	1185 1190 1195 1200
25	Pro Asp Leu Ala Ser Tyr Tyr Thr Phe Phe Lys Glu Ile Ser Asp Lys
	1205 1210 1215
	Ser Arg Ser Ser Ala Leu Leu Phe Thr Thr Leu Lys Asn Arg Ile Gly
	1220 1225 1230
	Glu Val Glu Lys Glu Tyr Gly Arg Leu Val Lys Asn Lys Glu Met Arg
30	1235 1240 1245
	Asp Ser Lys Asp Pro Tyr Pro Val Arg Val Asn Gln Val Tyr Glu Lys
	1250 1255 1260
	Trp Cys Ala Ile Thr Pro Glu Ala Met Asp Lys Ser Gly Ala Asn Tyr
	1265 1270 1275 1280
35	Asp Ser Lys Val Ile Arg Leu Leu Glu Leu Ser Phe Leu Ala Asp Arg
	1285 1290 1295

Glu Met Asn Thr Trp Ala Leu Leu Arg Ala Ser Thr Ala Phe Lys Leu  
1300 1305 1310  
Tyr Tyr His Lys Ser Pro Lys Phe Val Trp Gln Met Ala Gly Arg Gln  
1315 1320 1325  
5 Leu Ala Tyr Ile Lys Ala Gln Met Thr Ser Arg Pro Gly Glu Gly Ala  
1330 1335 1340  
Pro Ala Leu Met Thr Ala Phe Met Tyr Ala Gly Leu Met Pro Asp Lys  
1345 1350 1355 1360  
Lys Phe Thr Lys Gln Tyr Val Ala Arg Leu Glu Gly Asp Gly Ser Glu  
10 1365 1370 1375  
Tyr Pro Asp Pro Glu Val Tyr Glu Val Leu Gly Asp Asp Asp Phe Asp  
1380 1385 1390  
Gly Ile Gly Phe Thr Gly Asn Gly Asp Tyr  
1395 1400  
15

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
31 August 2000 (31.08.2000)


PCT

(10) International Publication Number  
**WO 00/50581 A3**

- (51) International Patent Classification<sup>7</sup>: **C12N 15/31**, 15/63, 15/67, 15/70, 15/74, 15/80, 15/82, 15/85, 15/11, 9/12, 1/19, 1/21, 5/10, C07K 14/37, A01K 67/027
- (74) Agents: **BANCHETTI, Marina et al.**; Ing. Barzanò & Zanardo Roma S.p.A., Via Piemonte, 26, I-00187 Roma (IT).
- (21) International Application Number: **PCT/IT00/00048**
- (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (22) International Filing Date: 16 February 2000 (16.02.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
RM99A000117 22 February 1999 (22.02.1999) IT
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): **UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA"** [IT/IT]; P.le Aldo Moro, 5, I-00185 Roma (IT).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **MACINO, Giuseppe** [IT/IT]; Policlinico Umberto I, Università Degli Studi Di Roma "La Sapienza", Dipartimento Biotecnologie Cellulari ed Ematologia, V.le Regina Elena, 324, I-00161 Roma (IT). **COGONI, Carlo** [IT/IT]; Policlinico Umberto I, Università Degli Studi Di Roma "La Sapienza", Dipartimento Biotecnologie Cellulari ed Ematologia, V.le Regina Elena, 324, I-00161 Roma (IT).
- Published:  
— With international search report.
- (88) Date of publication of the international search report:  
30 November 2000
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: ISOLATION AND CHARACTERIZATION OF A *N. CRASSA* SILENCING GENE AND USES THEREOF

(57) Abstract: A nucleotide sequence encoding for a protein characterized in that it has a silencing activity and comprises a RNA-dependent RNA polymerase domain is disclosed; furthermore expression vectors suitable for the expression of said sequence in bacteria, plants, animals and fungi are disclosed; the invention refers also to organisms transformed by such vectors.



WO 00/50581 A3

## INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/IT 00/00048

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/31 C12N15/63 C12N15/67 C12N15/70 C12N15/74  
 C12N15/80 C12N15/82 C12N15/85 C12N15/11 C12N9/12  
 C12N1/19 C12N1/21 C12N5/10 C07K14/37 A01K67/027

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

STRAND, EPO-Internal, WPI Data, PAJ, BIOSIS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	COGONI ET AL.: "Isolation of quelling-defective (qde) mutants impaired in posttranscriptional transgene-induced gene silencing in Neurospora crassa" PROC NATL ACAD SCI USA, vol. 94, 16 September 1997 (1997-09-16), pages 10233-10238, XP002136370 ---	
A	COGONI C ET AL: "QUELLING: TRANSGENE-INDUCED GENE SILENCING IN NEUROSPORA CRASSA" NATO ADVANCED SCIENCE INSTITUTES, SERIE H: CELL BIOLOGY, DE, SPRINGER VERLAG, BERLIN, vol. 104, 1998, pages 103-112, XP000906708 ISSN: 1010-8793 --- -/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&amp;" document member of the same patent family

Date of the actual completion of the international search

15 August 2000

Date of mailing of the international search report

07/09/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Authorized officer

Ceder, O



*SG V. K. H. T.*

From the INTERNATIONAL BUREAU

PCT

INFORMATION CONCERNING ELECTED  
OFFICES NOTIFIED OF THEIR ELECTION

(PCT Rule 61.3)

To:

BANCHETTI, Marina  
Ing. Barzanò & Zanardo Roma S.p.A.  
Via Piemonte, 26  
I-00187 Roma  
ITALIE

Date of mailing (day/month/year) 02 November 2000 (02.11.00)		
Applicant's or agent's file reference PCT24285		IMPORTANT INFORMATION
International application No. PCT/IT00/00048	International filing date (day/month/year) 16 February 2000 (16.02.00)	Priority date (day/month/year) 22 February 1999 (22.02.99)
Applicant UNIVERSITA' DEGLI STUDI DI ROMA "LA SAPIENZA" et al		

1. The applicant is hereby informed that the International Bureau has, according to Article 31(7), notified each of the following Offices of its election:

AP : GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW

EP : AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE

National : AU, BG, CA, CN, CZ, DE, IL, JP, KP, KR, MN, NO, NZ, PL, RO, RU, SE, SK, US

2. The following Offices have waived the requirement for the notification of their election; the notification will be sent to them by the International Bureau only upon their request:

EA : AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

OA : BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

National : AE, AL, AM, AT, AZ, BA, BB, BR, BY, CH, CU, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IN, IS, KE, KG, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MW, MX, PT, SD, SG, SI, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW

3. The applicant is reminded that he must enter the "national phase" before the expiration of 30 months from the priority date before each of the Offices listed above. This must be done by paying the national fee(s) and furnishing, if prescribed, a translation of the international application (Article 39(1)(a)), as well as, where applicable, by furnishing a translation of any annexes of the international preliminary examination report (Article 36(3)(b) and Rule 74.1).

Some offices have fixed time limits expiring later than the above-mentioned time limit. For detailed information about the applicable time limits and the acts to be performed upon entry into the national phase before a particular Office, see Volume II of the PCT Applicant's Guide.

The entry into the European regional phase is postponed until 31 months from the priority date for all States designated for the purposes of obtaining a European patent.

<p>The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland</p> <p>Facsimile No. (41-22) 740.14.35</p>	<p>Authorized officer: Zakaria EL KHODARY</p> <p>Telephone No. (41-22) 338.83.38</p>
---	--

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	SHERMAN J M ET AL: "An uncertain silence" TRENDS IN GENETICS, NL, ELSEVIER SCIENCE PUBLISHERS B.V. AMSTERDAM, vol. 13, no. 8, 1 August 1997 (1997-08-01), pages 308-313, XP004084604 ISSN: 0168-9525 ---	
P, X	COGONI : "Neurospora crassa qde-1 gene, partial" EMBL SEQUENCE DATABASE, 10 May 1999 (1999-05-10), XP002144857 HEIDELBERG DE Ac AJ133528 the whole document	1-6, 18-22
P, X	-& COGONI ET AL.: "RNA-dependent RNA polymerase (fragment" EMBL SEQUENCE DATABASE, 1 November 1999 (1999-11-01), XP002144858 HEIDELBERG DE Ac Q9Y7G6 the whole document	1-6, 18-22
P, X	-& COGONI ET AL.: "Gene silencing in Neurospora crassa requires a protein homologous to RNA-dependent RNA polymerase" NATURE, vol. 399, 13 May 1999 (1999-05-13), pages 166-169, XP002144912 the whole document -----	1-6, 18-22

!!AA\_SEQUENCE 1.0

ID Q9Y7G6 PRELIMINARY; PRT; 1402 AA.  
AC Q9Y7G6;  
DT 01-NOV-1999 (TrEMBLrel. 12, Created)  
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)  
DT 01-MAY-2000 (TrEMBLrel. 13, Last annotation update)  
DE RNA-DEPENDENT RNA POLYMERASE (FRAGMENT).  
GN QDE-1.  
OS Neurospora crassa.  
OC Eukaryota; Fungi; Ascomycota; Sordariales; Sordariaceae; Neurospora.  
RN [1]  
RP SEQUENCE FROM N.A.  
RA Cogoni C., Macino G.;  
RT "Gene silencing in neurospora crassa requires a protein homologous to  
RT RNA-dependent RNA polymerase.";  
RL Submitted (MAR-1999) to the EMBL/GenBank/DDBJ databases.  
DR EMBL; AJ133528; CAB42634.1; -.  
KW RNA-directed RNA polymerase.  
FT NON\_TER 1402 1402  
SQ SEQUENCE 1402 AA; 157982 MW; FC45A1A17260837D CRC64;

Q9y7g6 Length: 1402 August 14, 19100 09:46 Type: P Check: 4314 ..

1 MNPITPRKRN SPVEEIINRL NNDYNLGLQC VADTTLTPHR RKELAESDED  
51 FGRHDKIYRA LNFLYWRKDD SLNQAEANFF IEAKAASSNW VPKAHADPDT  
101 LPWSKEPPRA ATAGQQWALQ TVLLEVLNRF MPPPNNTPGR TFGRTLSGPS  
151 GLSRPTSTNT KRKDEPANVT FADPPKRS LT RSATGPPING AAIPLKFPDP  
201 VNTGSKRPSL ESENLNQCTK RAKGKLSDNV AAAAAPPVPI ASALDKVPTR  
251 RHANTRDPTA TGHRRADQVD SFDTSQGTSY GSSVFSACRH NQSTTQSSFE  
301 APPSQPREKR PVDATVFEAG HLIESPSKGR TTKSHIDNQP LSSSSQGETS  
351 FSTYYESFPS SGGEGA IPEP SRSNGLARSE ESARSQVQVH APVVAARLRN  
401 IWPKF PKWLH EAPLAVAW EV TRLFMHCKVD LEDESLGLKY DPSWSTARDV  
451 TDIWKTL YRL DAFRGKPFPE KPPNDVFVTA MTGNFESKGS AVVLSAVLDY  
501 NPDNSPTAPL YLVKLKPLMF EQGCRLTRRF GPDRFFEILI PSPTSTSPSV  
551 PPVVSQPGA VEEVIQWLT M GQHS LVGRQW RAFFAKDAGY RKPLREFQLR  
601 AEDPKPIIKE RVHFFAETGI TFRPDVFKTR SVVPAEEPVE QRTEFKVSQM  
651 LDWLLQLDNN TWQPHLKLFS RIQLGLSKTY AIMTLEPHQI RHHKTDLLSP  
701 SGTGEVMNDG VGRMSRSVAK RIRDVLGLGD VPSAVQGRFG SAKGMWVIDV  
751 DDTGDEDWIE TYP SQRKWEC DFVDKHQRTL EVRSVASELK SAGLNLQLLP